
Upright Dustpan and Broom Set, 330 mm, Medium, Black







The contact lip is designed for easy and efficient sweeping into the dustpan. The outer front surface has a raised area to prevent debris from falling out of the dustpan. The enlarged rear and side walls enable the dustpan to hold larger volumes of debris. The very effective, lightweight broom can be used for sweeping both dry and wet debris. The brush pattern is designed using 2 filament diameters. The outer row of filaments is softer than the middle row, which gives a very effective sweeping quality. The filaments under the scraping edge are angled to facilitate sweeping close to walls and corners as well as under workbenches etc. An effective scraping edge has been implemented in the design to enable loosening stubborn debris from the surface.

Technical Data

Bristle stiffness Medium Material Polypropylene Anodised Aluminium Polyamide Polyester (PBT) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 200 mm Length 300 mm Weight Cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.068 kg Gross Weight 0.95 kg Cubic metre 0.0580 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Fost contact)	Item Number	56669
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ECR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.050 kg	Bristle stiffness	Medium
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 380 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact)	Material	Aluminium Polyamide
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Box Length 1000 mm Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C <th< td=""><td>· · · · · · · · · · · · · · · · · · ·</td><td>Yes</td></th<>	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Width 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.066 kg Weight cardboard (Recycling symbol "20" PAP) 0.05808 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 1570502	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (Food contact) 5705022044647 GTIN-13 Number	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 5705022044647 GTIN-13 Number 5705022044655 Customs Tariff No. 9603	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature* -20 °C GTIN-13 Number 5705022044667 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 20 Pcs. Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705022044655 Customs Tariff No. 96039099	Box Quantity	10 Pcs.
Box Length 1000 mm Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 180-200 cm)	120 Pcs
Box Width 410 mm Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044667 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	20 Pcs.
Box Height 260 mm Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Box Length	1000 mm
Length 330 mm Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Box Width	410 mm
Width 200 mm Height 880 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.0668 kg Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Box Height	260 mm
Height880 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.06 kgWeight cardboard (Recycling symbol "20" PAP)0.0668 kgTare total0.1268 kgGross Weight0.95 kgCubic metre0.05808 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Length	330 mm
Net Weight0.82 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.06 kgWeight cardboard (Recycling symbol "20" PAP)0.0668 kgTare total0.1268 kgGross Weight0.95 kgCubic metre0.05808 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Width	200 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.06 kgWeight cardboard (Recycling symbol "20" PAP)0.0668 kgTare total0.1268 kgGross Weight0.95 kgCubic metre0.05808 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Height	880 mm
Weight cardboard (Recycling symbol "20" PAP)0.0668 kgTare total0.1268 kgGross Weight0.95 kgCubic metre0.05808 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Net Weight	0.82 kg
Tare total 0.1268 kg Gross Weight 0.95 kg Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.06 kg
Gross Weight Cubic metre 0.05808 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No.	Weight cardboard (Recycling symbol "20" PAP)	0.0668 kg
Cubic metre0.05808 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Tare total	0.1268 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No.	Gross Weight	0.95 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Cubic metre	0.05808 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CGTIN-13 Number5705022044647GTIN-14 Number (Box quantity)15705028044655Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³ -20 °C GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Max usage temperature (food contact)	80 °C
GTIN-13 Number 5705022044647 GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Max usage temperature (non food contact)	100 °C
GTIN-14 Number (Box quantity) 15705028044655 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Customs Tariff No. 96039099	GTIN-13 Number	5705022044647
	GTIN-14 Number (Box quantity)	15705028044655
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.