Hand Scoop, Metal Detectable, 1 Litre, Red





This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

Technical Data

Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 consequently emperature (Dishwasher) 8 consequently emperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 10. 5 pH Max. pH-value in Usage Concentration 10. 5 pH Max. pH-value in Usage Concentration 10. 5 pH	Item Number	56684
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 1CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 80x Length 80x Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (Food contact) 100 °C Min. usage temperature (Tood contact) 100 °C Min. usage temperature (Too food contact) 100 °	Content	1 Litre
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 211 Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Box Length 450 mm Box Width 555 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 2.2 kg Weight cardboard (Recycling symbol "20" PAP) 7 are total Gross Weight Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature (non food contact) Max. pH-value in usage concentration Max. pH-value in Usage Concentration Metal Detectable Yes GTIN-14 Number (Box quantity) 15705028032249 Gross Garman And Andrew (Autoclave) Max. pH-value in Usage Concentration	Material	
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 80 x Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 350 mt Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature? 20 °C Min. pH-value in usage Concentration 20 pH Metal Detectable Yes GTIN-14 Number (Box quantity) 15705028032249	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 848 Pcs. Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 70 corps Weight 70 corps Weight 70 corps Weight 80 corps Weight 70 corps Weight 80 corps We		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 848 Pcs. Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 cross Weight 8 Recommended sterilisation temperature (Autoclave) 8 Recommended sterilisation temperature (Autoclave) 121 °C 120 Max. usage temperature (Dishwasher) 130 °C 140 Max. usage temperature (non food contact) 100 °C 101 Max. usage temperature (non food contact) 100 °C 101 Max. usage temperature (non food contact) 100 °C 101 Min. usage temperature (105 PH 105 Max. pH-value in Usage Concentration 105 PH 106 Metal Detectable Yes 107 GTIN-13 Number 107 STOSO28032249	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) S76 Pcs. Quantity Per Layer (Pallet) 80 x Length 80 x Width 80 x Width 80 x Height Width 80 x Height 100 mm Max. Length 110 mm Net Weight 102 kg Weight cardboard (Recycling symbol "20" PAP) Tare total 80 x Weight 80 x Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) 80 x Length 100 °C Max. usage temperature (non food contact) Min. usage temperature (non food contact) Min. pH-value in usage concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 12 Pcs. No 20 Recommended Sterilisation temperature (Food contact) Max. pH-value food contact) Max. pH-value food contacton 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 33 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage Concentration 2 pH Max. pH-value in Usage Concentration 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Complies with California Proposition 65	Yes
Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 576 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.22 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 80 x Length 80 x Width 80 x Height 80 x Heigh	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)48 Pcs.Box Length450 mmBox Width355 mmBox Height215 mmWidth350 mmHeight100 mmMax. Length110 mmNet Weight0.2 kgWeight cardboard (Recycling symbol "20" PAP)0.027 kgTare total0.027 kgGross Weight0.23 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032231GTIN-14 Number (Box quantity)15705028032249	Box Quantity	12 Pcs.
Box Length 450 mm Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Quantity per Pallet (80 x 120 x 180-200 cm)	576 Pcs.
Box Width 355 mm Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Tare total 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Quantity Per Layer (Pallet)	48 Pcs.
Box Height 215 mm Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Tare total 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Box Length	450 mm
Width 350 mm Height 100 mm Max. Length 110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Tare total 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Box Width	355 mm
Height 100 mm Max. Length 1110 mm Net Weight 0.2 kg Weight cardboard (Recycling symbol "20" PAP) 0.027 kg Tare total 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Box Height	215 mm
Max. Length110 mmNet Weight0.2 kgWeight cardboard (Recycling symbol "20" PAP)0.027 kgTare total0.027 kgGross Weight0.23 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032231GTIN-14 Number (Box quantity)15705028032249	Width	350 mm
Net Weight0.2 kgWeight cardboard (Recycling symbol "20" PAP)0.027 kgTare total0.027 kgGross Weight0.23 kgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032231GTIN-14 Number (Box quantity)15705028032249	Height	100 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total 0.027 kg Gross Weight Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Tess Troso22032231 GTIN-14 Number (Box quantity)	Max. Length	110 mm
Tare total 0.027 kg Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Net Weight	0.2 kg
Gross Weight 0.23 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Weight cardboard (Recycling symbol "20" PAP)	0.027 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity)	Tare total	0.027 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032231GTIN-14 Number (Box quantity)15705028032249	Gross Weight	0.23 kg
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032231GTIN-14 Number (Box quantity)15705028032249	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity)	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Max. usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032231GTIN-14 Number (Box quantity)15705028032249	Min. usage temperature ³	-20 °C
Metal Detectable Yes GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705022032231 GTIN-14 Number (Box quantity) 15705028032249	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705028032249	Metal Detectable	Yes
	GTIN-13 Number	5705022032231
Customs Tariff No. 39241000	GTIN-14 Number (Box quantity)	15705028032249
	Customs Tariff No.	39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.