Hand Scoop, Metal Detectable, 0.5 Litre, Blue





This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

Technical Data

Content 0.5 Litre Material Polypropyenen Metal & X - Ray detectable additive Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ECR 21¹ Yes Complies with UX 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Jest 200 x 180-200 cm) 960 Pcs. Quantity 15 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Earthly Per Layer (Pallet) 310 mm Width 85 mm Length/Depth 310 mm Width 85 mm Length/Depth 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Usic metre 0.002635 M3	Item Number	56693
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EU Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 1908/2007 No. 1907/2007 No.	Content	0.5 Litre
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 2013/5 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. pH-value in usage concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Material	
Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temp	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. pH-value		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Width 290 mm Box Height 180 mm Uength/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration <th>Complies with FDA RegulationI CFR 21¹</th> <th>Yes</th>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Metal Detectable Yes GTI	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature in food contact) 100 °C Min. usage temperature as concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316 <td>Complies with REACH Regulation (EC) No. 1907/2006</td> <td>Yes</td>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature in (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Complies with California Proposition 65	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Box Quantity	15 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Box Length	380 mm
Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Box Width	290 mm
Width85 mmHeight100 mmNet Weight0.135 kgWeight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Box Height	180 mm
Height100 mmNet Weight0.135 kgWeight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Length/Depth	310 mm
Net Weight0.135 kgWeight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Width	85 mm
Weight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Height	100 mm
Tare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Net Weight	0.135 kg
Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Weight cardboard (Recycling symbol "20" PAP)	0.018 kg
Cubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Tare total	0.018 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Gross Weight	0.15 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Cubic metre	0.002635 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Max. usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032316	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032316	Min. usage temperature ³	-20 °C
Metal DetectableYesGTIN-13 Number5705022032316	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705022032316	Max. pH-value in Usage Concentration	10.5 pH
	Metal Detectable	Yes
GTIN-14 Number (Box quantity) 15705028032324	GTIN-13 Number	5705022032316
	GTIN-14 Number (Box quantity)	15705028032324

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.