Round Bowl Scoop, 1 Litre, Green







Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

Technical Data

Alterial Polypropylem Product Recycling Symbol "5", Polypropylene (PP) Compiles with (EC) 1935/2004 on food contact materials' Compiles with EU Regulation 2023/2006/EC of Good Anufacturing Practice Compiles with FDA Regulation ICFR 21' Compiles with UK 2019 No. 704 on food contact materials Compiles with UK 2019 No. 704 on food contact materials Compiles with California Proposition 65 Compiles with California Proposition 65 Compiles with Halal and Kosher FAS, Phthalates and BPA intentionally added No. 2002 Augustity Compiles with FDA Regulation (EC) No. 1907/2006 No. 2002 Augustity No. 2003 Augustity No. 2002 Augustity No. 2003 Augu	Item Number	56812
Product Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Annufacturing Practice Complies with FDA Regulation ICFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added Sox Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Height Product Length/Depth Product Length/Depth Product Width 155 mr Product Width 155 mr Product Weight Cubic metre Quantity Coulons (Recycling symbol "20" PAP) Cotal Tare Weight Cubic metre Quantity Coulons (Recycling symbol "20" PAP) Cotal Tare Weight Cubic metre Quantity Coulons (Recycling symbol "20" PAP) Alax. cleaning temperature (Dishwasher) Max. usage temperature (Dishwasher) Max. usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration	Content	1 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity No. 2002 Quantity No. 2002 Quantity No. 2003 Quantity No. 2004 Quantity Per Layer (Pallet) No. 2004 Quantity Per Layer (Pallet) No. 2005 Quantity No. 2005 Quant	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 30x Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Rosx Length/Depth Rosx Width Rosx Width Rosx Height Product Length/Depth Product Length/Depth Product Width Product Width Recommended sterilisation temperature (Autoclave) Rosx Weight Rosx Weight Rosx Generature (Dishwasher) Rosx Usage temperature (non food contact) Rosx usage temperature	Product Recycling Symbol "5", Polypropylene (PP)	Yes
Annufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with California Proposition 65 Vec Complies with California PFAS, Phthalates and BPA intentionally added No. 2002 Quantity Complies with California Proposition 65 No. 2002 Quantity Complies with California Propo	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PAS, Phthalates and BPA intentionally added No Quantity Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Rosa Length/Depth Rosa Width Rosa Width Rosa Width Rosa Width Rosa Height Product Length/Depth Rosa Height Ros	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with California Proposition 65 No Width 10 Proposition 10 Propositi	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher Complied with Hala and Kosher Complied with Halal and	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Quantity Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Rox Length/Depth Rox Height Product Length/Depth Product Length/Depth Product Width Product Width Product Width Product Height Product Height Product Height Product Wight Product Wight Product Height Product Wight Produ	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Quantity Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Ros Length/Depth Ros Width Ros Wight R	Complies with California Proposition 65	Yes
Avanchity Per Pallet (80 x 120 x approx.180 cm) Avantity Per Layer (Pallet) Avantity Per Layer (Pallet) Avantity Per Layer (Pallet) Avantity Per Layer (Pallet) Avanchity Per Layer (Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 1 Pes Box Length/Depth 400 mr Box Width 295 mr Product Length/Depth 295 mr Product Width 155 mr Product Height 95 mr Product Height 95 mr Product Height 95 mr Product Height 95 mr Product Weight 0.17 k Product Are Weight 0.03 k Gross Weight 0.03 k Cubic metre 0.004344 Mr Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature Max. drying temperature 120 ° Max. drying temperature 2 p	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) Box Length/Depth Sox Width Sox Width Croduct Length/Depth Product Length/Depth Product Width 155 mr Product Weight Sox Weight Out Weight Product Recycling symbol "20" PAP) Cotal Tare Weight Cotal Tare	Box Quantity	10 Pcs.
Box Length/Depth 400 mm Box Width 295 mm Box Height 190 mm Product Length/Depth 295 mm Product Width 155 mm Product Height 95 mm Net Weight 0.17 k Weight cardboard (Recycling symbol "20" PAP) 0.03 k Fotal Tare Weight 0.03 k Fotal Tare Weight 0.03 k Fotal Tare Weight 0.004344 Mm Recommended sterilisation temperature (Autoclave) 121 mm Max. cleaning temperature (Dishwasher) 93 mm Max. usage temperature (food contact) 100 mm Max usage temperature (non food contact) 100 mm Max. drying temperature 120 mm Min. pH-value in usage concentration 2 ph	Quantity per Pallet (80 x 120 x approx.180 cm)	800 Pcs.
Box Width 295 mr Box Height 190 mr Product Length/Depth 295 mr Product Width 155 mr Product Height 95 mr Net Weight ardboard (Recycling symbol "20" PAP) 0.03 k Fotal Tare Weight 0.03 k Fotal Tare Weight 0.03 k Fotal Tare Weight 0.04 k Fotal Tare Weight 0.04 k Fotal Tare Weight 0.00 k Fotal Tare	Quantity Per Layer (Pallet)	1 Pcs.
Product Length/Depth 295 mr Product Width 155 mr Product Height 95 mr Net Weight 0.17 k Weight cardboard (Recycling symbol "20" PAP) 0.03 k Fotal Tare Weight 0.2 k Cubic metre 0.004344 Mr Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 102 k Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature	Box Length/Depth	400 mm
Product Length/Depth Product Width 155 mr Product Height 95 mr Net Weight Neight cardboard (Recycling symbol "20" PAP) 0.03 k Fotal Tare Weight 0.03 k Fotal Tare Weight 0.04 k Fotal Tare Weight 0.08 k Fotal Tare Weight 0.09 k Fotal Tare Weight 0.004344 M Fotal Tare Weight 0.00	Box Width	295 mm
Product Width 95 mr Product Height 95 mr Net Weight Cardboard (Recycling symbol "20" PAP) 0.03 kr Total Tare Weight 0.03 kr Total Tare Weight 0.03 kr Total Tare Weight 0.04 kr Total Tare Weight 0.05 kr Total Tare Weight 0.08 kr Total Tare Weight 0.09 kr Total Tare Weight 0.00 k	Box Height	190 mm
Product Height 95 mm Net Weight 0.17 k Weight cardboard (Recycling symbol "20" PAP) 0.03 k Fotal Tare Weight 0.03 k Gross Weight 0.2 k Cubic metre 0.004344 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 ph	Product Length/Depth	295 mm
Neight cardboard (Recycling symbol "20" PAP) Total Tare Weight Gross Weight Cubic metre Cubi	Product Width	155 mm
Veight cardboard (Recycling symbol "20" PAP)0.03 kTotal Tare Weight0.03 kGross Weight0.2 kCubic metre0.004344 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pl	Product Height	95 mm
Total Tare Weight 0.03 k Gross Weight 0.2 k Cubic metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Net Weight	0.17 kg
Cubic metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pl	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubic metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Total Tare Weight	0.03 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Gross Weight	0.2 kg
Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Cubic metre	0.004344 M3
Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Alax. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Alax. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Max. cleaning temperature (Dishwasher)	93 °C
Alin. usage temperature3-20 °CMax. drying temperature120 °CAlin. pH-value in usage concentration2 pl	Max. usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Max usage temperature (non food contact)	100 °C
Ain. pH-value in usage concentration 2 pl	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max nH-value in Usage Concentration 10.5 pl	Min. pH-value in usage concentration	2 pH
nux. pri-value in osuge concentration	Max. pH-value in Usage Concentration	10.5 pH
5705022000612	GTIN-13 Number	5705022000612
3TIN-14 Number (Box quantity) 15705028000620	GTIN-14 Number (Box quantity)	15705028000620

Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.