## Round Bowl Scoop, 67.6 Floz, Blue







Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harbored, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

## **Technical Data**

Material Polypropyle Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with UK 2019 No. 704 on food contact materials Yellow the REACH Regulation (EC) No. 1907/2006 Yellow with UK 2019 No. 704 on food contact materials Yellow the REACH Regulation (EC) No. 1907/2006 Yellow with California Proposition 65 Yellow propos	Item Number	56823
Recycling Symbol "5", Polypropylene (PP)  Complies with (EC) 1935/2004 on food contact materials'  Complies with EU Regulation 2023/2006/EC of Good  Manufacturing Practice  Complies with FDA Regulation (FR 21'  Complies with UK 2019 No. 704 on food contact materials  Yellow the REACH Regulation (EC) No. 1907/2006  Yellow the Reach Regulation (EC) No. 1907/2006  Yellow the Regulation (EC) No. 1	Content	67.6 Fl oz
Complies with (EC) 1935/2004 on food contact materials¹ Your Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Your Complies with UK 2019 No. 704 on food contact materials Yellow the REACH Regulation (EC) No. 1907/2006 Your Complies with California Proposition 65 Your Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pc Quantity Per Pallet (80 x 120 x 180-200 cm) Your Per Layer (Pallet) 11 Pc Rox Length 12 Pc Rox Width 11 Pc Rox Width 11 Pc Rox Width 12 Pc Rox Width 13 Pc Roy Width 14 Pc Rox Width 15 Pc Rox Width 16 Pc Rox Width 17 Pc Rox Width 18 Pc Roy Width 19 Pc Rox Width 19 Pc Rox Width 10 Pc Rox Width 10 Pc Rox Width 11 Pc Rox Width 12 Pc Rox Width 13 Pc Roy Width 14 Pc Rox Width 15 Pc Rox Width 16 Pc Rox Width 17 Pc Rox Width 18 Pc Rox Width 19 Pc Rox Weight 19 Pc Rox Weight 19 Pc Rox Wight 19 Pc Rox Wight 19 Pc Rox Width 10 Pc Rox Width 11 Pc Rox Width 11 Pc Rox Width 12 Pc Rox Width 13 Pc Rox Width 14 Pc Rox Width 15 Pc Rox Width 16 Pc Rox Width 17 Pc Rox Width 18 Pc Rox Width 19 Pc Rox Width 10 Pc Rox Width	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹  Complies with UK 2019 No. 704 on food contact materials  YMeets the REACH Regulation (EC) No. 1907/2006  YMeets the ReaCH Regulation (EC) No. 1907/2006  YMeets	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Y Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Y Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pr Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 11 Pr Box Length 16 Box Width 17 Height 18 Width 19 Width 10 Pr Height 10 Pr Height 11 No 19 Pr Height 12 No 19 Pr Height 13 No 19 Pr Height 14 No 19 Pr Height 15 No 19 Pr Height 16 No 19 Pr Height 17 No 19 Pr Height 18 No 19 Pr Height 19 No 19 Pr Height 19 No 19 Pr Height 10 No 19 Pr Height 10 No 19 Pr Height 10 No 19 Pr Height 11 No 19 Pr Height 12 No 19 Pr Height 13 No 19 Pr Height 14 No 19 Pr Height 15 No 19 Pr Height 16 No 19 Pr Height 17 No 19 Pr Height 18 No 19 Pr Height 19 No 19 Pr	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Weets the REACH Regulation (EC) No. 1907/2006  Yeets the REACH Regulation (EC) No. 1907/2006  Yeets with California Proposition 65  Yeets with California Proposition 65  Yeets with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  10 Pox Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  10.  Box Width  11.  Box Height  12.  Weight  Weight  Weight  Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Yeets Weight  Yeets Weight Application temperature (Max usage temperature (food contact)  Yeets Weight Application temperature (food contact)	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Yes Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  11.  Box Height  Length  Width  7.  Height  Net Weight  Net Weight  Corss Weight  Coulonce  Complies with California Proposition 65  Yes Compliance Proposition 95  Yes Compliance Proposition 95  Yes Compliance Proposition 95  Yes Compliance Proposition 95  Yes Compliance Proposit	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  11.  Box Height  Length  Width  7.  Height  Net Weight  Weight cardboard (Recycling symbol "20" PAP)  Fare Total  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (food contact)  Y  20  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  A  A  A	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Box Height Box Weight Box We	Meets the REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Per Box Length 16. Box Width 11. Box Height 19. Length 19. Length 10. Width 10. Width 10. Wet Weight 10. Weight cardboard (Recycling symbol "20" PAP) 10. Fores Weight 10. Gross Weight 10. Cubic Feet 10. Recommended sterilisation temperature (Autoclave) 10. Max usage temperature (food contact) 10. 10. 10. 10. 10. 10. 10. 10. 10. 10.	Complies with California Proposition 65	Yes
Box Quantity Per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  11.  Box Height  Length  Width  7.  Height  Net Weight  Weight cardboard (Recycling symbol "20" PAP)  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  1 Pox 420 Pc  1 Pox 42	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  11.  Box Height  9.  Length  Nidth  7.  Height  Net Weight cardboard (Recycling symbol "20" PAP)  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  420 Pox	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)  Box Length  Box Width  11.  Box Height  Length  12.  Width  7.  Height  4.  Net Weight  Weight cardboard (Recycling symbol "20" PAP)  Fare Total  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  16.  17.  18.  19.  19.  19.  19.  19.  19.  10.  10	Box Quantity	10 Pcs.
Box Length 16. Box Width 11. Box Height 9. Length 17. Width 7. Height 4. Net Weight 0.5732 I Weight cardboard (Recycling symbol "20" PAP) 0.07 I Grare Total 0.07 I Gross Weight 0.6393 I Cubic Feet 0.2615 I Recommended sterilisation temperature (Autoclave) 249.8 Max. cleaning temperature (Dishwasher) 199.4 Max usage temperature (food contact) 212	Quantity per Pallet (80 x 120 x 180-200 cm)	420 Pcs.
Box Width 11.  Box Height 9.  Length 1  Width 7.  Height 4.  Net Weight 0.5732    Weight cardboard (Recycling symbol "20" PAP) 0.07    Fare Total 0.07    Gross Weight 0.6393    Cubic Feet 0.2615    Recommended sterilisation temperature (Autoclave) 249.8  Max. cleaning temperature (Dishwasher) 199.4  Max usage temperature (food contact) 212	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 9. Length 17. Width 7. Height 4. Net Weight 0.5732   Weight cardboard (Recycling symbol "20" PAP) 0.07   Fare Total 0.07   Gross Weight 0.6393   Cubic Feet 0.2615   Recommended sterilisation temperature (Autoclave) 249.8 Max. cleaning temperature (Dishwasher) 199.4 Max usage temperature (food contact) 212	Box Length	16.9 "
Length 1.1  Width 7.1  Height 4.1  Net Weight 0.5732   Weight cardboard (Recycling symbol "20" PAP) 0.07    Fare Total 0.07    Gross Weight 0.6393    Cubic Feet 0.2615   Cubic Feet 0.2615    Recommended sterilisation temperature (Autoclave) 249.8  Max. cleaning temperature (Dishwasher) 199.4  Max usage temperature (food contact) 212	Box Width	11.8 "
Width  Height  Net Weight  Neight cardboard (Recycling symbol "20" PAP)  Fare Total  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  7.  4.  4.  9.  9.  9.  9.  9.  9.  9.  9	Box Height	9.8 "
Height 0.5732   Net Weight cardboard (Recycling symbol "20" PAP) 0.07   Fare Total 0.07   Gross Weight 0.6393   Cubic Feet 0.2615   Recommended sterilisation temperature (Autoclave) 249.8 Max. cleaning temperature (Dishwasher) 199.4 Max usage temperature (food contact) 212	Length	13 "
Net Weight	Width	7.7 "
Weight cardboard (Recycling symbol "20" PAP)  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  0.07 II 0.07	Height	4.5 "
Tare Total  Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  0.07 I  0.07 I  0.07 I  0.07 I  0.49.8  199.4	Net Weight	0.5732 lbs
Gross Weight  Cubic Feet  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  212	Weight cardboard (Recycling symbol "20" PAP)	0.07 lbs
Cubic Feet 0.2615 :  Recommended sterilisation temperature (Autoclave) 249.8  Max. cleaning temperature (Dishwasher) 199.4  Max usage temperature (food contact) 212	Tare Total	0.07 lbs
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  249.8  249.8	Gross Weight	0.6393 lbs
Max. cleaning temperature (Dishwasher)199.4Max usage temperature (food contact)212	Cubic Feet	0.2615 ft3
Max usage temperature (food contact) 212	Recommended sterilisation temperature (Autoclave)	249.8 °F
	Max. cleaning temperature (Dishwasher)	199.4 °F
Wax usage temperature (non food contact) 212	Max usage temperature (food contact)	212 °F
	Max usage temperature (non food contact)	212 °F
Win. usage temperature -4	Min. usage temperature	-4 °F
Wax. drying temperature 248	Max. drying temperature	248 °F
Min. pH-value in usage concentration	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10.5	Max. pH-value in Usage Concentration	10.5 pH
<b>3TIN-13 Number</b> 57050220005	GTIN-13 Number	5705022000513
GTIN-14 Number (Box quantity) 1570502800052	GTIN-14 Number (Box quantity)	15705028000521

Customs Tariff No.	39241000
Country of Origin	Denmark
Content Gallon	0.53 Gallon(s)

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.