## Round Bowl Scoop, 2 Litre, Red





Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

## **Technical Data**

Material Polypropylene Product Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA RegulationI CFR 21' Complies with HUK 2019 No. 704 on food contact materials Complies with HEACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 420 Pcs. Quantity Per Layer (Pallet) 11 Pcs Box Length Box Width 300 mm Box Width 300 mm Box Width 115 mm Width 115 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metralists Cubic	Item Number	56824
Product Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No. Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 420 Pcs. Quantity Per Layer (Pallet) 11 Pcs Box Length Box Width 300 mm Box Width 300 mm Box Width 195 mm Width 195 mm Not Weight 10 .26 kg Weight 0.29 kg Cross Weight 0.29 kg Cross Weight Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number  Ter Gross Weight 0.29 pc Max. pH-value in Usage Concentration 5705022000537	Content	2 Litre
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with EU Regulation CFR 21¹  Yes  Complies with UK 2019 No. 704 on food contact materials  Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with California Proposition 65  Yes  Complies with Halal and Kosher  Yes  PFAS, Phthalates and BPA Intentionally added  No.  Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  420 Pcs.  Quantity Per Layer (Pallet)  1 Pcs.  Box Length  Box Length  Box Height  250 mm  Width  195 mm  Net Weight  0.26 kg  Weight cardboard (Recycling symbol "20" PAP)  Cubic metre  Quontity  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (Dishwasher)  Max. usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration  2 pi- Max. pH-value in usage concentration  10.5 pi- GTIN-13 Number  Telepatric Complies with ED Regulation (EC) No. 1907/2006  Yes  Pess	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) A20 PCs. Quantity Per Layer (Pallet) 1 PCs. Box Length Box Length Box Height 250 mm Width 195 mm Width 195 mm Net Weight Neight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 100 °C Max. usage temperature (Ino food contact) 100 °C Max. drying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH GTIN-13 Number  Tere total Usage Concentration 10.5 pH GTIN-13 Number  Tere total Usage Concentration 10.5 pH GTIN-13 Number	Product Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 300 mm Box Width 300 mm Box Width 300 mm Box Height 250 mm Length/Depth 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Box Width  Box Height  Length/Depth  With  Height  Height  Net Weight  Weight cardboard (Recycling symbol "20" PAP)  Cubic metre  Quantity Cubic metre  Quantity  Max. cleaning temperature (Dishwasher)  Max. usage temperature (Dishwasher)  Max. usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage Concentration  Max. pH-value in usage Concentration  Max. pH-value in usage Concentration  Tere total  Complies with REACH Regulation (Pecs No. 1907/2006)  Yes  Complies with REACH Regulation (Pecs No. 1907/2006)  Yes  Complies with ReaCH Regulation (EC) No. 1907/2006  Yes  Per  Assumant Proposition (Pecs No. 1907/2006)  Yes  Complies with California Proposition 65  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Complies with California Proposition 65  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Pcs Box Length 300 mm Box Width 300 mm Box Width 300 mm Box Height 250 mm Height 115 mm Not Weight Net Weight Net Weight Net Weight Net Weight Cubic metre  0.0074 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (Food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage Concentration Max. pH-value in Usage Concentration Ma	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Box Width  Box Width  Box Height  Length/Depth  Width  Height  Net Weight  Weight cardboard (Recycling symbol "20" PAP)  Gross Weight  Cubic metre  Quantity Per Layer (Pallet)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature  Max. drying temperature  Max. drying temperature  Min. pH-value in usage Concentration  Max. Usage Concentration  To PA  Max. Usage Concentration  10.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  1 Pcs. Box Length  430 mm Box Width  300 mm Box Height  250 mm Length/Depth  330 mm Width  195 mm Height  Net Weight  420 Pcs.  Weight cardboard (Recycling symbol "20" PAP)  Gross Weight  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature  100 °C  Max. drying temperature  100 °C  Max. drying temperature  100 °C  Max. ph-value in usage Concentration  10.5 pH  Mat. Institute of the part of the part of the photocology of th	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added  Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Pcs Box Length 430 mm Box Width 300 mm Box Height 250 mm Length/Depth 330 mm Width 195 mm Net Weight 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number  120 °C GTIN-13 Number	Complies with California Proposition 65	Yes
Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 300 mm Box Height 250 mm Length/Depth 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 150 °C Max. drying temperature 1	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  1 Pcs.  Box Length  430 mm  Box Width  300 mm  Box Height  250 mm  Vidth  195 mm  Width  195 mm  Net Weight  0.26 kg  Weight cardboard (Recycling symbol "20" PAP)  10.03 kg  Gross Weight  0.29 kg  Gross Weight  0.29 kg  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  GTIN-13 Number  5705022000537	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)  Box Length  Box Width  Box Width  Box Height  Length/Depth  330 mm  Width  Height  115 mm  Net Weight  0.26 kg  Weight cardboard (Recycling symbol "20" PAP)  0.03 kg  Gross Weight  0.09 kg  Gross Weight  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  Too max days member at 10.5 pH  GTIN-13 Number  5705022000537	Box Quantity	10 Pcs.
Box Length Box Width Box Width Box Height Length/Depth Length/Depth 330 mm Width Height Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.29 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Quantity per Pallet (80 x 120 x 180-200 cm)	420 Pcs.
Box Width 300 mm Box Height 250 mm Length/Depth 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 mm of the contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 250 mm Length/Depth 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 5705022000537	Box Length	430 mm
Length/Depth 330 mm Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Box Width	300 mm
Width 195 mm Height 115 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Box Height	250 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Length/Depth	330 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Width	195 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  O.03 kg  Gross Weight  Cubic metre  O.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705022000537	Height	115 mm
Tare total 0.03 kg Gross Weight 0.29 kg Cubic metre 0.0074 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Net Weight	0.26 kg
Gross Weight  Cubic metre  0.0074 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705022000537	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubic metre 0.0074 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max. usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 120 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  GTIN-13 Number 5705022000537	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705022000537	Gross Weight	0.29 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022000537	Cubic metre	0.0074 M3
Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  GTIN-13 Number	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  GTIN-13 Number  5705022000537	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature  Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  10.5 pH  GTIN-13 Number  5705022000537	Max. usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022000537	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  GTIN-13 Number 5705022000537	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022000537	Max. drying temperature	120 °C
GTIN-13 Number 5705022000537	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
3TIN-14 Number (Box quantity) 15705028000545	GTIN-13 Number	5705022000537
12 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	GTIN-14 Number (Box quantity)	15705028000545

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.