## Hygiene Bucket, 12 Litre, Red







This award-winning bucket is ideal for transporting cleaning chemicals and both hot and cold ingredients. It has a drip-free spout, a hand grip that is raised from the base, and a sturdy stainless steel handle. It is also calibrated for a variety of measuring units. The flat side prevents spillage and the bucket has its own wall bracket, 16200, for storage.

## **Technical Data**

Product Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with FDA Regulation (EC) No. 1907/2006 Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 000427117-01-03 Box Quantity 6 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) 8 Pcs Box Length 8 Box Height 10 20 mm Width 10 320 mm Width 11 kg Weight cardboard (Recycling symbol "20" PAP) 10 0.09 kg Gross Weight 10 0.09 kg Gross Weight 10 0.09 kg Cubic metre 10 0.01744 Md Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (food contact) 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 ph	Item Number	56864
Product Recycling Symbol "5", Polypropylene (PP)  Compiles with (EC) 1935/2004 on food contact materials¹  Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Compiles with FDA Regulation I CFR 21¹  Compiles with FDA Regulation (EC) No. 1907/2006  Compiles with FDA Regulation (EC) No. 1907/2006  Compiles with REACH Regulation (EC) No. 1907/2006  Compiles with California Proposition 65  Compiles with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No. Design Registration No.  EU 000427117-01-3, GB9004271170001-003  Box Quantity  6 Pcs Quantity per Pallet (80 x 120 x 180-200 cm)  90 Pcs Quantity Per Layer (Pallet)  18 Pcs Box Length  50 x Width  51 x Width  52 x Width  53 x Width  54 x Width  55 x Width  56 x Width  57 x Width  58 x Width  59 x Width  50 x Width  50 x Width  50 x Width  51 x Width  52 x Width  53 x Width  54 x Width  55 x Width  56 x Width  57 x Width  58 x Width  59 x Width  50 x Width  5	Content	12 Litre
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation CFR 21¹  Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Alal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  Bu 000427117-1-3, GB9004271177-1-3, GB9004271177-1-3, GB9004271177-1-3, GB9004271177-1-3, GB9004271170001-003  Box Quantity  Per Layer (Pallet)  Box Length  Box Width  Box Width  Box Height  Length/Depth  Width  Height  Not Weight cardboard (Recycling symbol "20" PAP)  Cubic metre  O.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. usage temperature (Dishwasher)  Max. usage temperature (Inot food contact)  Min. usage temperature  Min. pH-value in usage concentration	Material	Polypropylene Stainless Steel (AISI 304)
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) 90 Pcs Quantity Per Layer (Pallet) 18 Pcs Box Length 740 mm Box Width 340 mm Box Height 320 mm Width 320 mm Width 320 mm Net Weight Aleight 310 mm Net Weight Aleight Aleigh	Product Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 000427117-1-3, GB9004271170001-003 BOX Quantity 6 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) 90 Pcs Quantity Per Layer (Pallet) 18 Pcs BOX Length 740 mm Box Width 340 mm Box Width 320 mm Width 320 mm Width 320 mm Width 320 mm Net Weight 1 kg Weight cardboard (Recycling symbol "20" PAP) 0.09 kg Gross Weight 1.09 kg Cubic metre 0.031744 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Yes Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Yes Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  BU 000427117-1-3, GB9004271170001-003  Box Quantity  6 Pcs Quantity per Pallet (80 x 120 x 180-200 cm)  90 Pcs Quantity Per Layer (Pallet)  18 Pcs Box Length  740 mm Box Width  340 mm Box Height  190 Midth  100 mm Net Weight  100 mm Net Weight  11 kg Weight cardboard (Recycling symbol "20" PAP)  Tare total  Cubic metre  0.031744 M3 Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  2 ph	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity  6 Pcs Quantity per Pallet (80 x 120 x 180-200 cm)  90 Pcs Quantity Per Layer (Pallet)  18 Pcs Box Length  740 mm Box Width  340 mm Box Height  190 mm Length/Depth  320 mm Width  320 mm Net Weight cardboard (Recycling symbol "20" PAP)  Tare total  Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  2 ph	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity  6 Pcs Quantity per Pallet (80 x 120 x 180-200 cm)  90 Pcs Quantity Per Layer (Pallet)  18 Pcs Box Length  740 mm Box Width  320 mm Length/Depth  320 mm Width  320 mm Net Weight  1 kg Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  1 0.09 kg Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Tood contact)  Max usage temperature (Tood contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  2 ph  Min. pH-value in usage concentration	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity 6 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) 90 Pcs Quantity Per Layer (Pallet) 18 Pcs Box Length 740 mm Box Width 340 mm Box Height 320 mm Width 320 mm Width 320 mm Net Weight 1 kg Weight cardboard (Recycling symbol "20" PAP) 1 Cubic metre  0 .031744 M3  Recommended sterilisation temperature (Autoclave) 1 21 °C  Max. cleaning temperature (food contact) Min. usage temperature? 2 0 °C  Max. drying temperature  Min. pH-value in usage concentration 2 pH  Max usage temperature  Min. pH-value in usage concentration	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added  Design Registration No.  EU 000427117-1-3, GB9004271170001-003  Box Quantity 6 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 90 Pcs Box Length 740 mm Box Width 340 mm Box Height 320 mm Length/Depth 320 mm Net Weight 41 kg Weight cardboard (Recycling symbol "20" PAP) 74 the commended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher) 90 Pcs 120 °C Max. drying temperature 120 °C Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration  EU 000427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-001-003  EU 000427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-001-003  EU 000427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-001-003  EU 000427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-001-003  EU 000427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-1-3, GB900427117-001-003  EU 000427117-1-3, GB900427  EU 000427117-10-001  EU 000427117-1-3, GB900427  EU 000427117-10-001  EU 000427117-1-3, GB900427  EU 000427117-10-001  EU 000427117-1-3, GB900427  EU 000427117-1-3, GB900427  EU 000427117-1-3, GB900427  EU 000427117-1-3, GB900427	Complies with California Proposition 65	Yes
Design Registration No.  EU 000427117-0-3, GB9004271170001-003  Box Quantity 6 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 90 Pcs Box Length 740 mm Box Width 340 mm Box Height 320 mm Length/Depth 320 mm Width 320 mm Net Weight 4 keight 310 mm Net Weight cardboard (Recycling symbol "20" PAP) 74re total 75res Weight 75res Weig	Complies with Halal and Kosher	Yes
Box Quantity Per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  18 Pcs  Box Length  740 mm  Box Width  320 mm  Length/Depth  320 mm  Width  41 kg  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  90 Pcs  18 Pcs	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  18 Pcs  Box Length  740 mm  Box Width  320 mm  Length/Depth  320 mm  Width  320 mm  Net Weight  1 kg  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  90 Pcs  18 Pcs  18 Pcs  18 Pcs  18 Pcs  18 Pcs  18 Pcs  19 Pcs  18 Pcs  19 Pcs  10 Pcs  10 Pcs  11 Pcs  12 Pcs  12 Pcs  12 Pcs  13 Pcs  14 Pcs  15 Pcs  16 Pcs  17 Pcs  17 Pcs  18 P	Design Registration No.	EU 000427117-1-3, GB9004271170001-003
Quantity Per Layer (Pallet)  Box Length  Fox Width  Cubic metre  Cubic	Box Quantity	6 Pcs.
Box Length Box Width Box Width Box Height Bo	Quantity per Pallet (80 x 120 x 180-200 cm)	90 Pcs.
Box Width 340 mm Box Height 320 mm Length/Depth 320 mm Width 320 mm Width 320 mm Net Weight 310 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.09 kg Tare total 0.09 kg Gross Weight 1.09 kg Cubic metre 0.031744 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	18 Pcs.
Box Height 320 mm Length/Depth 320 mm Width 320 mm Height 310 mm Net Weight 1 kg Weight cardboard (Recycling symbol "20" PAP) 0.09 kg Tare total 0.09 kg Gross Weight 1.09 kg Cubic metre 0.031744 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH	Box Length	740 mm
Length/Depth320 mmWidth320 mmHeight310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTare total0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	340 mm
Width 320 mm Height 310 mm Net Weight 1 kg Weight cardboard (Recycling symbol "20" PAP) 0.09 kg Tare total 0.09 kg Gross Weight 1.09 kg Cubic metre 0.031744 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH	Box Height	320 mm
Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTare total0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Length/Depth	320 mm
Net Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration	Width	320 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration	Height	310 mm
Tare total 0.09 kg Gross Weight 1.09 kg Cubic metre 0.031744 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Net Weight	1 kg
Gross Weight  Cubic metre  0.031744 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.09 kg
Cubic metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration	Tare total	0.09 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration	Gross Weight	1.09 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.031744 M3
Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 ph	Max. usage temperature (food contact)	100 °C
Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 ph	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	39239000
GTIN-14 Number (Box quantity)	15705020568647
GTIN-13 Number	5705020568640

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.