Lid for Bucket 5686, 12 Litre, Green







Lid for Vikan Hygiene Bucket 5686x. The bucket lid is useful for preventing spillage and uses a clip system to lightly secure the lid.

Technical Data

Material Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with EU Regulation 1 CFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 000427117-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Neight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage tempe	Item Number	56872
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-01-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 20¹9 No. 70⁴ on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Weight 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non	Product Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Pithalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max. usage temperature (non food contact) </th <th>Complies with (EC) 1935/2004 on food contact materials¹</th> <th>Yes</th>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-10-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Min. usage temperature 20 °C Min. pH-value in usage conce	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentrat	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature* -20 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage Concentration 10.5 pH	Complies with California Proposition 65	Yes
Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with Halal and Kosher	Yes
Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Design Registration No.	•
Quantity Per Layer (Pallet) 36 Pcs. Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Quantity	6 Pcs.
Box Length 350 mm Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	510 Pcs.
Box Width 325 mm Box Height 145 mm Length/Depth 365 mm Width 310 mm Height 40 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.05 kg Tare total 0.05 kg Gross Weight 0.17 kg Cubic metre 0.004526 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity Per Layer (Pallet)	36 Pcs.
Box Height145 mmLength/Depth365 mmWidth310 mmHeight40 mmNet Weight0.12 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Length	350 mm
Length/Depth365 mmWidth310 mmHeight40 mmNet Weight0.12 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Width	325 mm
Width310 mmHeight40 mmNet Weight0.12 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Height	145 mm
Height40 mmNet Weight0.12 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Length/Depth	365 mm
Net Weight0.12 kgWeight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Width	310 mm
Weight cardboard (Recycling symbol "20" PAP)0.05 kgTare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Height	40 mm
Tare total0.05 kgGross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Net Weight	0.12 kg
Gross Weight0.17 kgCubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Weight cardboard (Recycling symbol "20" PAP)	0.05 kg
Cubic metre0.004526 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Tare total	0.05 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Gross Weight	0.17 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.004526 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Min. usage temperature³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705020568725	Max. pH-value in Usage Concentration	10.5 pH
	GTIN-13 Number	5705020568725

GTIN-14 Number (Box quantity)	15/05020568/22
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.