Bucket, 6 Litre, Blue







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Recycling Symbol "5", Polypropylene (PP) Yei Complies with (EC) 1935/2004 on food contact materials' Yei Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Yei Complies with UK 2019 No. 704 on food contact materials Yei Complies with REACH Regulation (EC) No. 1907/2006 Yei Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. Design Registration No. EU 002364190-1-8, CE 9002364190001-8 Box Quantity 5 Pos Quantity Per Pallet (80 x 120 x 180-200 cm) 160 Pos Quantity Per Layer (Pallet) 40 Pos Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 250 mm Net Weight 250 mm Net Weight 250 mm Net Weight 250 mm Net Weight 260 mm Net Weight	Item Number	56883
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No. Design Registration No. EU 002364190-1-8, CB 9002364190001-8 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Width 275 mm Box Width 275 mm Box Width 260 mm Width 400 mm Net Weight 260 mm Net Weight Cubic metre Cubic metr	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, Be 9002364190001-8 Box Quantity For Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Width Box Width Box Height Length Length Length Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration	Material	Polypropylene Stainless Steel (AISI 304)
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yei Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yei Complies with California Proposition 65 Yei Complies with California Proposition 65 Yei Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB BOX Quantity FPAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190001-8 BOX Quantity FPAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190001-8 BOX Quantity FPAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190001-8 FO PCS Quantity Per Pallet (80 x 120 x 180-200 cm) 160 PCS Quantity Per Layer (Pallet) 40 PCS BOX Length 295 mn BOX Width 275 mn BOX Height 430 mn Height 260 mn Width Height 260 mn Not Weight acrdboard (Recycling symbol "20" PAP) 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C MAX. cleaning temperature (Dishwasher) 93 °C MAX usage temperature (food contact) 100 °C MAX usage temperature (non food contact) 100 °C MAX. drying temperature 120 °C MAX. drying temperature 120 °C MIN. pH-value in usage concentration 2 pt	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added Design Registration No. EU 0023641900-1-8, GB 90023641900-1-8, GB 900236419000-1-8 BOX Quantity Sep Per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Sep Ex Length Sep E	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yeccomplies with REACH Regulation (EC) No. 1907/2006 Yeccomplies with California Proposition 65 Yeccomplies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 275 mn Box Height Length Length 260 mn Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ion food contact) Min. usage temperature Min. pH-value in usage concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yec Complies with California Proposition 65 Yec Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 002364190001-8 BOX Quantity 5 PCs Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) BOX Length BOX Length BOX Height Length 295 mm BOX Height Length 260 mm Net Weight Width 260 mm Net Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Inon food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Min. pH-value in usage concentration	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 002364190.001-8 Box Quantity For Pallet (80 x 120 x 180-200 cm) Box Quantity Per Layer (Pallet) Box Length Box Width Poss Box Height Box He	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-01-8, GB 90023641900001-8 Box Quantity 5 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 250 mm Net Weight 250 mm Net Weight 260 mm Net Weight	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-01-8, GB 90023641900001-8 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 275 mn Box Height 430 mn Length Width 260 mn Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration EU 002364190-01-8, GEU 002364190-01-18, GEU 00236419-01-18, GEU 00236419-01-18, GEU 00236419-01-18, GEU 00236419-01-1	Complies with California Proposition 65	Yes
Design Registration No. EU 0023641900001-8 B90023641900001-8 BOX Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 430 mm Height 260 mm Net Weight 405 kg Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration	Complies with Halal and Kosher	Yes
Box Quantity Fer Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Augustity Per Layer (Pallet) Box Length Box Width Box Height Length Length Width Length Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 160 Pcs 120 Pcs 160	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 40 Pcs Box Length 295 mn Box Width 275 mn Box Height 430 mn Length 260 mn Width 260 mn Net Weight 250 mn Net Weight cardboard (Recycling symbol "20" PAP) 7are total 7are	Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Quantity Per Layer (Pallet) Box Length Box Width Box Height Length Width Length Width Length Weight Length Weight Length Length Length Weight Length Length Length Length Weight Length	Box Quantity	5 Pcs.
Box Length Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Width 260 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	160 Pcs
Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Height 250 mm Net Weight ardboard (Recycling symbol "20" PAP) 0.06 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.06 kg Gross Weight 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 430 mm Length 260 mm Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 ph	Box Length	295 mm
Length 260 mm Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Box Width	275 mm
Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH	Box Height	430 mm
Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pH	Length	260 mm
Net Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration	Width	260 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Height	250 mm
Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Net Weight	0.55 kg
Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Tare total	0.06 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature 120 °C Min. pH-value in usage concentration	Cubic metre	0.0169 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature Min. pH-value in usage concentration 2 ph	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 ph	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020568831
GTIN-14 Number (Box quantity)	15705020568838
Customs Tariff No.	39239000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.