Bucket, 6 Litre, Blue







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

| Material Polypropylene Stainless Steel (AISI 304) Product Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 00236419001-18, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight 250 mm Net Weight 250 mm Net Weight 260 mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH | Item Number | 56883 |
|--|---|---------------------------------------|
| Product Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 80 X Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.06 kg | Content | 6 Litre |
| Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) Box Length 295 mm Box Width 275 mm Box Width 275 mm Width Length/Depth 400 mm Net Weight 260 mm Net Weight 260 mm Net Weight 376 kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH | Material | |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity For Layer (Pallet) For Layer (Pallet) For Layer (Pallet) For Length For Height For H | Product Recycling Symbol "5", Polypropylene (PP) | Yes |
| Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Reach Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 80x Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) Tare total 0.06 kg Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight Augustity Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH | · · · · · · · · · · · · · · · · · · · | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length Box Width 275 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight 250 mm Net Weight 30.06 kg Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration | Complies with FDA RegulationI CFR 21 ¹ | Yes |
| Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity For. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Length Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight Augustity Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage concentration 2 pH | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 0023641900-1-8, GB 90023641900001-8 Box Quantity For. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight 250 mm Net Weight Cubic metre 0.016 kg Gross Weight Cubic metre 0.016 ym Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage concentration 2 pH | Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight 250 mm Net Weight 260 mm Net W | Complies with California Proposition 65 | Yes |
| Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Height 250 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 2 pH | Complies with Halal and Kosher | Yes |
| Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Width 250 mm Net Weight 250 mm Net Weight 250 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight (Recycling symbol "20" PAP) 0.06 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH | PFAS, Phthalates and BPA intentionally added | No |
| Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Net Weight 250 mm Net Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 could be described as weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration | Design Registration No. | · · · · · · · · · · · · · · · · · · · |
| Quantity Per Layer (Pallet)40 Pcs.Box Length295 mmBox Width275 mmBox Height430 mmLength/Depth260 mmWidth260 mmHeight250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Box Quantity | 5 Pcs. |
| Box Length Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Width 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.51 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Quantity per Pallet (80 x 120 x 180-200 cm) | 160 Pcs. |
| Box Width 275 mm Box Height 430 mm Length/Depth 260 mm Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH | Quantity Per Layer (Pallet) | 40 Pcs. |
| Box Height 430 mm Length/Depth 260 mm Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH | Box Length | 295 mm |
| Length/Depth260 mmWidth260 mmHeight250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Box Width | 275 mm |
| Width260 mmHeight250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Box Height | 430 mm |
| Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Length/Depth | 260 mm |
| Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 contact) 100 °C Max. drying temperature (100 contact) 100 °C Min. usage temperature (100 contact) 100 °C Min. usage temperature (100 contact) 100 °C Min. usage temperature (100 contact) 100 °C Min. pH-value in usage concentration 2 pH | Width | 260 mm |
| Weight cardboard (Recycling symbol "20" PAP) Tare total O.06 kg Gross Weight Cubic metre O.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration | Height | 250 mm |
| Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Net Weight | 0.55 kg |
| Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH | Weight cardboard (Recycling symbol "20" PAP) | 0.06 kg |
| Cubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Tare total | 0.06 kg |
| Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration | Gross Weight | 0.61 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Cubic metre | 0.0169 M3 |
| Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Max. usage temperature (food contact) | 100 °C |
| Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration 2 pH | Min. usage temperature ³ | -20 °C |
| | Max. drying temperature | 120 °C |
| Max. pH-value in Usage Concentration 10.5 pH | Min. pH-value in usage concentration | 2 pH |
| | Max. pH-value in Usage Concentration | 10.5 pH |

| GTIN-13 Number | 5705020568831 |
|-------------------------------|----------------|
| GTIN-14 Number (Box quantity) | 15705020568838 |
| Customs Tariff No. | 39239000 |
| Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.