Bucket, 6 Litre, White







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Recycling Symbol "5", Polypropylene (PP) Ye Complies with (EC) 1935/2004 on food contact materials' Ye Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 1CFR 21' Ye Complies with EUR 2019 No. 704 on food contact materials Ye Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added N Design Registration No. EU 002364190-1-8, Gf 90023641900001-8 Sox Quantity 5 Pcs Quantity Per Pallet (80 x 120 x approx.180 cm) 160 Pc Quantity Per Layer (Pallet) 40 Pcs Sox Length/Depth 295 mr Sox Width 275 mr Sox Height 430 mr Product Length/Depth 260 mr Product Length/Depth 260 mr Product Height 250 mr Neight cardboard (Recycling symbol "20" PAP) 0.06 k Total Tare Weight 0.66 k Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Max dying temperature (Inc) pool on the contact of the contact	Item Number	56885
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 1CFR 21' Complies with EU Regulation (EC) No. 1907/2006 Complies with EACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Nobesign Registration No. EU 002364190-1-8, Gf 900236419000-1-8 Countity Per Pallet (80 x 120 x approx.180 cm) Countity Per Layer (Pallet) Countity Per Layer (Pallet) Countity Per Layer (Pallet) Countity Per Layer (Pallet) Countity With Countity With Countity With Countity With Countity Per Layer (Pallet) Countity Pe	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Yechanufacturing Practice Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yechanufacturing Practice Complies with UK 2019 No. 704 on food contact materials Yechanufacturing Proposition 65 Yechanufacturing	Material	Polypropylene Stainless Steel (AISI 304)
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Ye Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher Ye PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002364190-1-8, GE 300x Quantity Sox Quantity Per Pallet (80 x 120 x approx.180 cm) Cuantity Per Layer (Pallet) Sox Length/Depth Sox Width Sox Height Product Length/Depth Product Length/Depth Product Length/Depth Product Width Product Width Sox Height No Height N	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Ye Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GE 9002364190-01-8 Countity Countity Per Pallet (80 x 120 x approx.180 cm) Countity Per Layer (Pallet) Countity Per Countity Countity Per Layer (Pallet) Countity Per Countity Countity Per Layer (Pallet) Countity Per Layer (Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yeccomplies with REACH Regulation (EC) No. 1907/2006 Yeccomplies with California Proposition 65 Yeccomplies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Noesign Registration No. BU 002364190-1-8, GE 90023641900001-8 Box Quantity Special California Proposition 65 Per Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Sox Width Sox Height Product Length/Depth Product Length/Depth Product Weight Neight cardboard (Recycling symbol "20" PAP) Cotal Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Yeccomplies with ReaCH Regulation (Proposition of Special Parallel In Usage temperature Min. pH-value in usage concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yec Complies with California Proposition 65 Yec Complies with Halal and Kosher Yes PAS, Phthalates and BPA intentionally added Pesign Registration No. BU 002364190001-8 Box Quantity Sec Quantity Sec Quantity Sec Quantity Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sec Length/Depth Sec Width Sec	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Notesign Registration No. EU 0023641900001-8 Box Quantity For Pallet (80 x 120 x approx.180 cm) Cuantity Per Layer (Pallet) Cuantity Per Layer (Pallet) For Width For Width For Oduct Length/Depth For Oduct Length/Depth For Oduct Length/Depth For Oduct Height Fo	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 0023641900001-8, GE 90023641900001-8 Box Quantity Focuantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Product Length/Depth Product Length/Depth Product Length/Depth Product Width Product Width Product Wight Neight cardboard (Recycling symbol "20" PAP) Focual Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Min. product masses concentration 2 product with product temperature Max. drying temperature Min. product with product temperature Min. product with product temperature Min. usage tempe	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Posign Registration No. EU 002364190-1-8, GE 90023641900001-8 Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Product Length/Depth Product Length/Depth Product Length/Depth Product Weight Net Weight Net Weight Net Weight Product Weight Net Weight Product Weight Net Weight Product Weight Net Weight Net Weight Product Weight Net Weight Product Weight Net Weight	Complies with California Proposition 65	Yes
Design Registration No. EU 002364190001-8 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth 295 mr Box Width 275 mr Box Height Product Length/Depth 260 mr Product Width 260 mr Product Width 250 mr Reverbelle Common Comm	Complies with Halal and Kosher	Yes
Box Quantity 5 Pcs Quantity Per Pallet (80 x 120 x approx.180 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs Box Length/Depth 295 mr Box Width 275 mr Box Height 430 mr Product Length/Depth 260 mr Product Height 250 mr Net Weight 250 mr Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Gross Weight 0.61 k Gross Weight 0.61 k Cubic metre 0.0169 Mr Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pl	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 40 Pcs Box Length/Depth 295 mr Box Width 275 mr Box Height Product Length/Depth 260 mr Product Width 260 mr Product Height 250 mr Net Weight Neight cardboard (Recycling symbol "20" PAP) Fotal Tare Weight Cubic metre 0.0169 Mr Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 160 Pc 295 mr 40 Pcs 295 mr 260 mr 270	Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Quantity Per Layer (Pallet) 30x Length/Depth 295 mr 30x Width 275 mr 30x Height 430 mr Product Length/Depth 260 mr Product Width 260 mr Product Height 250 mr Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Gross Weight 0.016 pr Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration	Box Quantity	5 Pcs.
Box Length/Depth 295 mr Box Width 275 mr Box Height 430 mr Product Length/Depth 260 mr Product Width 260 mr Product Height 250 mr Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.01 k Cubic metre 0.0169 Mr Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pt	Quantity per Pallet (80 x 120 x approx.180 cm)	160 Pcs
Box Width 275 mr Box Height 430 mr Product Length/Depth 260 mr Product Width 250 mr Product Height 250 mr Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.06 k Cubic metre 0.0169 Mr Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pt	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 430 mr Product Length/Depth 260 mr Product Width 260 mr Product Height 250 mr Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.61 k Cubic metre 0.0169 Mr Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 contact) 120 °C Min. pH-value in usage concentration 2 ph	Box Length/Depth	295 mm
Product Length/Depth 260 mr Product Width 260 mr Product Height 250 mr Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Gross Weight 0.06 k Gross Weight 0.06 k Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Box Width	275 mm
Product Width 260 mm Product Height 250 mm Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.61 k Cubic metre 0.0169 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 ph	Box Height	430 mm
Product Height 250 mm Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.061 k Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 ph	Product Length/Depth	260 mm
Net Weight cardboard (Recycling symbol "20" PAP) Fotal Tare Weight 0.06 k Gross Weight 0.61 k Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Product Width	260 mm
Neight cardboard (Recycling symbol "20" PAP) Fotal Tare Weight Cubic metre Cubic	Product Height	250 mm
Fotal Tare Weight 0.06 k Gross Weight 0.61 k Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pl	Net Weight	0.55 kg
Gross Weight Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 0.61 k 0.0169 M 121 °C 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Total Tare Weight	0.06 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature Min. pH-value in usage concentration 93 °c 100 °c	Cubic metre	0.0169 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 ° Max. drying temperature 120 ° Min. pH-value in usage concentration 2 pl	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pl	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pl	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10.5 pl	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020568855
GTIN-14 Number (Box quantity)	15705020568852
Customs Tariff Number	39239000
UNSPSC Code	47121804
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.