Bucket, 6 Litre, Orange







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with KEACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 BOX Quantity Sox Quantity Sox Quantity Complies with (80 x 120 x approx.180 cm) Complies with Halal and Kosher Product Length/Depth Complies with Halal and Kosher Complies with Halal and Kosher Product Length/Depth Complies with Halal and Kosher Complies with Halal and Kosher Product Length/Depth Complies with Halal and Kosher Complies with Halal and Kosher Complies with EACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with EL REGULATION (EC) No. 1907/2006 Complies with Language Length Regulation (EC) No. 1907/2006 Product Quantity Proposition No. EU 002364190-1-8, G 9002364190-1-8, G	Item Number	56887
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pesign Registration No. EU 002364190-1-8, G 90023641900001-8 BOX Quantity Sox Quantity Sox Quantity Sox Calumbity Per Layer (Pallet) Sox Length/Depth Sox Width Corduct Length/Depth Product Length/Depth Product Length/Depth Product Width Product Width Product Height Weight cardboard (Recycling symbol "20" PAP) Cotal Tare Weight Cotal Tare Weigh	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, G 9002364190-01-8 Countity Countity Countity Per Pallet (80 x 120 x approx.180 cm) Countity Per Layer (Pallet) Consumption of the service of the ser	Material	Polypropylene Stainless Steel (AISI 304)
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 211 Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 Sox Quantity Sox Quantity Sox Quantity Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 Sox Quantity Per Pallet (80 x 120 x approx.180 cm) Countity Per Layer (Pallet) Cox Length/Depth Cox Length/Depth Cox Length/Depth Cox Width Cox Height Cox	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 211 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 Sox Quantity Special Complies with Halal and Kosher Productity Per Pallet (80 x 120 x approx.180 cm) Countity Per Layer (Pallet) Cox Length/Depth Cox Length/Depth Cox Length/Depth Cox Width Cox Height Corduct Length/Depth Cox Height	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190.1-8, Georgistration No. BOX Quantity SOX Quantity Countity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Cox Length/Depth SOX Width Cox Height Corduct Length/Depth Corduct Length/Depth Corduct Width Corduct Width Corduct Width Corduct Width Cox Height Cox Hei	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, George Registration No. Box Quantity 5 Pc Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Cox Length/Depth Cox Width Cox Width Cox Height Conduct Length/Depth Conduct Length/Depth Cox Width Cox	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher Complies with Alexander Complies with	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, George Registration No. Box Quantity 5 Pc Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Height Product Length/Depth Product Length/Depth Product Width Product Width Product Width Product Height Sox Height Product Weight Product W	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pesign Registration No. BU 002364190001-8 BOX Quantity Sox Quantity Sox Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) BOX Length/Depth Sox Height Product Length/Depth Product Length/Depth Product Width Product Width Product Width Product Wight Product Height Product Weight Product Weight Product Cardboard (Recycling symbol "20" PAP) Product Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact)	Complies with California Proposition 65	Yes
Design Registration No. EU 002364190-01-8, George Quantity 5 Port Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Width Croduct Length/Depth Product Length/Depth Product Height Design Registration No. EU 0023641900001-8 Sox Quantity 40 Port Color Middle Col	Complies with Halal and Kosher	Yes
Sox Quantity Sox Quantity Sox Quantity Sox Quantity per Pallet (80 x 120 x approx.180 cm) Sox Length/Depth Sox Length/Depth Sox Height Sox Heig	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Width Croduct Length/Depth Product Length/Depth Product Length/Depth Product Width Product Height Sox Weight October Recycling symbol "20" PAP) Cotal Tare Weight Cubic metre Cubic metre Caccommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact)	Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Quantity Per Layer (Pallet) Box Length/Depth Cox Width Cox Height Conduct Length/Depth Corduct Width Cox Height Cox Hei	Box Quantity	5 Pcs.
Box Length/Depth 295 m Box Width 275 m Box Height 430 m Product Length/Depth 260 m Product Width 260 m Product Height 250 m Bet Weight 0.55 h Weight cardboard (Recycling symbol "20" PAP) 0.06 h Fotal Tare Weight 0.61 h Box Height 0.60 m Box Heigh	Quantity per Pallet (80 x 120 x approx.180 cm)	160 Pcs
Box Width 275 m Box Height 430 m Product Length/Depth 260 m Product Width 260 m Product Height 250 m Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.61 k Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100°	Quantity Per Layer (Pallet)	40 Pcs.
Sox Height 430 m Product Length/Depth 260 m Product Width 260 m Product Height 250 m Ret Weight 0.55 m Reight cardboard (Recycling symbol "20" PAP) 0.06 m Rotal Tare Weight 0.06 m Recommended sterilisation temperature (Autoclave) 121 m Max. cleaning temperature (Dishwasher) 93 m Max usage temperature (food contact) 100 m Max usage temperature (non food contact) 100 m	Box Length/Depth	295 mm
Product Length/Depth 260 m Product Width 260 m Product Height 250 m Net Weight 0.55 k Weight cardboard (Recycling symbol "20" PAP) 0.06 k Fotal Tare Weight 0.06 k Gross Weight 0.06 k Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100°	Box Width	275 mm
Product Width 260 m Product Height 250 m Net Weight Cardboard (Recycling symbol "20" PAP) 0.06 m Total Tare Weight 0.06 m Bross Weight 0.61 m Cubic metre 0.0169 m Recommended sterilisation temperature (Autoclave) 121 m Max. cleaning temperature (Dishwasher) 93 m Max usage temperature (food contact) 100 m Max usage temperature (non food contact) 100 m	Box Height	430 mm
Product Height 250 m Net Weight 0.55 k Veight cardboard (Recycling symbol "20" PAP) 0.06 k Total Tare Weight 0.06 k Gross Weight 0.61 k Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100°	Product Length/Depth	260 mm
Neight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	Product Width	260 mm
Veight cardboard (Recycling symbol "20" PAP) 0.06 F Total Tare Weight 0.06 F Gross Weight 0.61 F Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100°	Product Height	250 mm
Total Tare Weight Cross Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	Net Weight	0.55 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100°	Total Tare Weight	0.06 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact)	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100°	Cubic metre	0.0169 M3
Max usage temperature (food contact) Max usage temperature (non food contact) 100°	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 100 °	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	100 °C
flin. usage temperature³ -20 °	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Max. drying temperature 120 °	Max. drying temperature	120 °C
Alin. pH-value in usage concentration 2 p	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10.5 p	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020568879
GTIN-14 Number (Box quantity)	15705020568876
Customs Tariff Number	39239000
UNSPSC Code	47121804
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.