Lid f/Bucket 5688, 6 Litre, Yellow







Lid for Vikan Hygiene Bucket 5688x. The lid prevents foreign objects from falling into the bucket when used for storage. The rim in the middle of the lid makes buckets stackable.

Technical Data

| Material Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-01-8, GB Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cle | Item Number | 56896 |
|--|---|---------------|
| Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I GFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Width 270 mm Box Height 250 mm Width 250 mm Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C | Material | Polypropylene |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Lalal and Kosher FFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-11-8, CB 9002364190001-8 Box Quantity FP Calyer (Pallet) Sox Length Sox Length Sox Height | Recycling Symbol "5", Polypropylene (PP) | Yes |
| Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.054 kg Gross Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 ° | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Mi | | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Gross Weight 0.118 kg Cubic metre 0.001475 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 20 °C Min. usage temperature (in food contact) 100 °C Min. usage temperature 20 °C Min. | Complies with FDA RegulationI CFR 21 ¹ | Yes |
| Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Gross Weight 0.118 kg Cubic metre 0.001475 kg Gubic metre 0.001475 kg Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Min. usage temperature 20 °C Min. usage temperature 20 °C Min. usage concentration 2 pH < | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190.1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (in non food contact) 100 °C Min. usage temperature (in non food contact) 100 °C Min. usage temper | Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 2 pH | Complies with California Proposition 65 | Yes |
| Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Complies with Halal and Kosher | Yes |
| Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 920 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | PFAS, Phthalates and BPA intentionally added | No |
| Quantity Per Layer (Pallet) 40 Pcs. Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Design Registration No. | |
| Quantity Per Layer (Pallet)40 Pcs.Box Length290 mmBox Width270 mmBox Height75 mmLength295 mmWidth250 mmHeight20 mmNet Weight0.118 kgWeight cardboard (Recycling symbol "20" PAP)0.054 kgTare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Box Quantity | 5 Pcs. |
| Box Length 290 mm Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature a -20 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH | Quantity per Pallet (80 x 120 x 180-200 cm) | 920 Pcs |
| Box Width 270 mm Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Quantity Per Layer (Pallet) | 40 Pcs. |
| Box Height 75 mm Length 295 mm Width 250 mm Height 20 mm Net Weight 0.118 kg Weight cardboard (Recycling symbol "20" PAP) 0.054 kg Tare total 0.054 kg Gross Weight 0.17 kg Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Box Length | 290 mm |
| Length295 mmWidth250 mmHeight20 mmNet Weight0.118 kgWeight cardboard (Recycling symbol "20" PAP)0.054 kgTare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Box Width | 270 mm |
| Width250 mmHeight20 mmNet Weight0.118 kgWeight cardboard (Recycling symbol "20" PAP)0.054 kgTare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Box Height | 75 mm |
| Height20 mmNet Weight0.118 kgWeight cardboard (Recycling symbol "20" PAP)0.054 kgTare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Length | 295 mm |
| Net Weight0.118 kgWeight cardboard (Recycling symbol "20" PAP)0.054 kgTare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Width | 250 mm |
| Weight cardboard (Recycling symbol "20" PAP)0.054 kgTare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Height | 20 mm |
| Tare total0.054 kgGross Weight0.17 kgCubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Net Weight | 0.118 kg |
| Gross Weight Cubic metre 0.001475 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Weight cardboard (Recycling symbol "20" PAP) | 0.054 kg |
| Cubic metre0.001475 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Tare total | 0.054 kg |
| Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH | Gross Weight | 0.17 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Cubic metre | 0.001475 M3 |
| Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH | Max usage temperature (food contact) | 100 °C |
| Max. drying temperature120 °CMin. pH-value in usage concentration2 pH | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration 2 pH | Min. usage temperature ³ | -20 °C |
| | Max. drying temperature | 120 °C |
| Max. nH value in Heads Concentration | Min. pH-value in usage concentration | 2 pH |
| Max. pn-value in Osage Concentration | Max. pH-value in Usage Concentration | 10.5 pH |
| GTIN-13 Number 5705020568961 | GTIN-13 Number | 5705020568961 |

| GTIN-14 Number (Box quantity) | 15705020568968 |
|-------------------------------|----------------|
| Customs Tariff No. | 39241000 |
| Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.