Bucket, 20 Litre, Green







An ideal station for mixing ingredients that are stored in 20L or smaller Vikan buckets. Perfect for solid or liquid ingredients, this station is large enough to meet all your mixing needs, yet small enough to lift and transport. A bottom handle and a rounded rim and lip also allow for ergonomic, no-spill lifting and pouring. Interior contains durable beveled measurements.

Technical Data

Content 20 Litre Material Polypropyplene Stainless stainless steel (AISI 304) Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (EFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-1-3, US pesign D916411, GBS 90029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Height 415 mm Product Undith 470 mm Product Width 470 mm Product Width 470 mm Product Width 470 mm Product Wight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg </th <th>Item Number</th> <th>56922</th>	Item Number	56922
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EUR Regulation CFR 21' Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. Begign Registration No. Begign Registration No. Begign Polf4411, GB 90002914119-1-3, US Design D916411, GB 900029141190001-3 Box Quantity S Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 800 kmm Box Width 455 mm Box Height 415 mm Product Length/Depth 470 mm Product Width 470 mm Product Width 470 mm Product Width 470 mm Product Weight 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Max. drying temperature	Content	20 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-1-3, US Design D916411, GB 900029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Product Length/Depth 470 mm Product Width 470 mm Product Width 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 83 °C Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Max. drying temperature	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-1-3, US Design D916411, GB 900029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Box Length/Depth 800 mm Box Width 455 mm Box Height 415 mm Product Length/Depth 70 mm Product Width 70 mm Product Width 70 mm Product Height 70	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-13. US Design D916411, GB 900029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Width 455 mm Box Height 415 mm Product Length/Depth 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Total Tare Weight 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C <	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-1-3, US Design D916411, GB 90002914119001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Width 455 mm Box Height 415 mm Product Length/Depth 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Total Tare Weight 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-1-3, US Design D916411, GB 900029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Width 455 mm Box Height 415 mm Product Length/Depth 470 mm Product Width 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) Min. usage temperature (food contact) Min. usage temperature Max. drying temperature 120 °C Max. drying temperature	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002914119-1-3, US Design D916411, GB 900029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Height 415 mm Product Length/Depth 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Total Tare Weight 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002914119-1-3, US Design D916411, CB 900029141190001-3 Box Quantity For Layer (Pallet) Box Length/Depth Box Height Box Height Box Height Froduct Length/Depth Froduct Width Froduct Width Froduct Width Froduct Height Box Height Froduct Height Frodu	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002914119-1-3, US Design D916411, GB 900029141190001-3 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Width 455 mm Product Length/Depth 470 mm Product Width 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 1.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (no food contact) Min. usage temperature Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature	Complies with California Proposition 65	Yes
Design Registration No.EU 002914119-1-3, US Design D916411, GB 900029141190001-3Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)40 PcsQuantity Per Layer (Pallet)10 Pcs.Box Length/Depth800 mmBox Width455 mmBox Height415 mmProduct Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight1.76 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Complies with Halal and Kosher	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length/Depth 800 mm Box Width 455 mm Box Height 415 mm Product Length/Depth 470 mm Product Width 470 mm Product Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Total Tare Weight 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)40 PcsQuantity Per Layer (Pallet)10 Pcs.Box Length/Depth800 mmBox Width455 mmBox Height415 mmProduct Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Design Registration No.	Design D916411, GB
Quantity Per Layer (Pallet)10 Pcs.Box Length/Depth800 mmBox Width455 mmBox Height415 mmProduct Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °C	Box Quantity	5 Pcs.
Box Length/Depth800 mmBox Width455 mmBox Height415 mmProduct Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	40 Pcs
Box Width455 mmBox Height415 mmProduct Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity Per Layer (Pallet)	10 Pcs.
Box Height415 mmProduct Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Length/Depth	800 mm
Product Length/Depth470 mmProduct Width470 mmProduct Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Width	455 mm
Product Width470 mmProduct Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Height	415 mm
Product Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Product Length/Depth	470 mm
Net Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Product Width	470 mm
Weight cardboard (Recycling symbol "20" PAP)0.21 kgTotal Tare Weight0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Product Height	380 mm
Total Tare Weight Gross Weight Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature	Net Weight	1.76 kg
Gross Weight Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.21 kg
Cubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Total Tare Weight	0.21 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Gross Weight	1.97 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.083942 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020569227
GTIN-14 Number (Box quantity)	15705020569224
Customs Tariff Number	39239000
UNSPSC Code	47121804
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.