


56935

Lid for Bucket 5692, 5.28 Gallon(s), White



Lid for bucket 5692x. Useful for preventing spills and contamination. Features a special stacking rim.

Technical Data

| | |
|---|------------------------|
| Item Number | 56935 |
| Material | Polypropylene |
| Recycling Symbol "5", Polypropylene (PP) | Yes |
| Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulationl CFR 21 ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Complies with California Proposition 65 | Yes |
| Complies with Halal and Kosher | Yes |
| PFAS, Phthalates and BPA intentionally added | No |
| Box Quantity | 5 Pcs. |
| Quantity per Pallet (80 x 120 x 180-200 cm) | 560 Pcs. |
| Quantity Per Layer (Pallet) | 30 Pcs. |
| Box Length | 15.2 " |
| Box Width | 15.2 " |
| Box Height | 4.7 " |
| Length | 16.9 " |
| Width | 14.8 " |
| Height | 1.6 " |
| Net Weight | 0.8818 lbs |
| Weight cardboard (Recycling symbol "20" PAP) | 0.15 lbs |
| Tare Total | 0.15 lbs |
| Gross Weight | 1.0362 lbs |
| Cubic Feet | 0.2279 ft ³ |
| Recommended sterilisation temperature (Autoclave) | 249.8 °F |
| Max. cleaning temperature (Dishwasher) | 199.4 °F |
| Max usage temperature (food contact) | 212 °F |
| Max usage temperature (non food contact) | 212 °F |
| Min. usage temperature | -4 °F |
| Max. drying temperature | 248 °F |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 10.5 pH |
| GTIN-13 Number | 5705020569357 |
| GTIN-14 Number (Box quantity) | 15705020569354 |
| Customs Tariff No. | 39241000 |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.