## Bucket, Metal Detectable, 12 Litre, Green







This metal detectable bucket is ideal for transporting hot and cold food stuffs and ingredients. It has a drip-free spout, a hand grip that is raised from the base, and a sturdy stainless steel handle. It is also calibrated for a variety of measuring units. The flat side prevents spillage and the bucket has its own wall bracket, 16200, for storage.

It is made from metal-detectable material, which can be tested with Vikan test kit, product no. 11113 prior to use.

## **Technical Data**

| Item Number   | 56942  |
|---|--|
| Content   | 12 Litre   |
| Material  | Polypropylene Metal & X -Ray detectable additive |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes  |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes  |
| Complies with FDA RegulationI CFR 21 <sup>1</sup>                       | Yes  |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes  |
| Complies with REACH Regulation (EC) No. 1907/2006                       | Yes  |
| Complies with California Proposition 65                                 | Yes  |
| Complies with Halal and Kosher  | Yes  |
| PFAS, Phthalates and BPA intentionally added                            | No   |
| Box Quantity  | 6 Pcs.   |
| Quantity per Pallet (80 x 120 x approx.180 cm)                          | 90 Pcs   |
| Quantity Per Layer (Pallet)   | 18 Pcs.  |
| Box Length/Depth  | 740 mm   |
| Box Width   | 340 mm   |
| Box Height  | 320 mm   |
| Product Length/Depth  | 325 mm   |
| Product Width   | 330 mm   |
| Product Height  | 330 mm   |
| Net Weight  | 1.115 kg   |
| Weight cardboard (Recycling symbol "20" PAP)                            | 0.09 kg  |
| Total Tare Weight   | 0.09 kg  |
| Gross Weight  | 1.21 kg  |
| Cubic metre   | 0.035393 M3                                      |
| Recommended sterilisation temperature (Autoclave)                       | 121 °C   |
| Max. cleaning temperature (Dishwasher)                                  | 93 °C  |
| Max usage temperature (food contact)                                    | 100 °C   |
| Max usage temperature (non food contact)                                | 100 °C   |
| Min. usage temperature <sup>3</sup>                                     | -20 °C   |
| Min. pH-value in usage concentration                                    | 2 pH   |
| Max. pH-value in Usage Concentration                                    | 10.5 pH  |
| Metal Detectable  | Yes  |
| GTIN-13 Number  | 5705022032491                                    |
| GTIN-14 Number (Box quantity)   | 15705028032508                                   |
|   |  |

| Customs Tariff Number      | 39239000 |
|----------------------------|----------|
| Country of Origin ISO Code | DK       |
| Country of Origin          | Denmark  |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.