Push-Pull Hoe, 270 mm, Green







Easily move, spread, mix or remove ingredients with this 2-in-1 function food hoe. The hoe features separate optimised edges and a rugged, hygienic design. Works with all Vikan threaded handles.

Technical Data

Product Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 1 CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with KEACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs Box Length Box Width 240 mm Box Width 240 mm Box Width 250 pcs Box Height 165 mm Net Weight 128 mm Net Weight 128 mm Net Weight 128 mm Net Weight 129 rare total 100.03 kg Gross Weight 10.22 kg Cubic metre 10.00173 Mas Recommended sterilisation temperature (Autoclave) 175 °C Max. usage temperature (food contact) 175 °C Max. usage temperature (food contact) 175 °C Max. drying temperature Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number 5705022022798	Item Number	59002
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with KEACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with Galifornia Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. Design Registration No. EU 006618070-002 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs Box Length Box Width 240 mm Box Width 240 mm Box Width 5 mm Helight 165 mm Net Weight 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Gross Weight 0.22 kg Cubic metre 0.000173 Mas Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Max. drying temperature Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number 5705022022798	Material	Polyamide
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. Design Registration No. EU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. EU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. BEU 006618070-002 Box Quantity FPAS, Phthalates and BPA intentionally added No. Design Registration No. Box Quantity FPAS, Phthalates and BPA intentionally and Box Pesson Box Vestional And Box Pesson Box Vestional And Box Pesson B	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added No. Design Registration No. EU 006618070-002 Box Quantity FPAS, Phthalates and BPA Intentionally added No. Design Registration No. EU 006618070-002 Box Quantity Per Pallet (80 x 120 x 180-200 cm) Sop Quantity Per Layer (Pallet) Sop Pcs Box Length Box Height 165 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Net Weight 128 mm Net Weight 129 mp Net Weight 120 m	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 006618070-002 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) 50 Pcs Box Length Box Width 240 mm Box Width 240 mm Box Height Length/Depth Width 5 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BOX Quantity SPCS Quantity EU 006618070-002 BOX Quantity per Pallet (80 x 120 x 180-200 cm) BOX Quantity Per Layer (Pallet) SO PCS BOX Length BOX Width BOX Height Length/Depth 270 mm Width 5 mm Net Weight Net Weight Weight cardboard (Recycling symbol "20" PAP) Cubic metre O.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (Dishwasher) Max. usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration 10.5 pH GTIN-13 Number	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BOX Quantity SPOS Quantity For Layer (Pallet) Box Length Box Width Box Height Length/Depth Height Height Height Sommand Net Weight Weight cardboard (Recycling symbol "20" PAP) Cubic metre Outlook metre Ou	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 006618070-002 Box Quantity S Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Sox Length Sox Length Sox Width Length/Depth Length/Depth Width S mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature To pf Max. drying temperature Min. usage Concentration 10.5 pf Max. usumber To 0000173 Number	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs Quantity Per Layer (Pallet) 50 Pcs Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 40 using tearboard (Recycling symbol "20" PAP) Tare total Gross Weight 20 using tearboard (Recycling symbol "20" PAP) Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage concentration 10.5 ph GTIN-13 Number 5705022022799	Complies with California Proposition 65	Yes
Design Registration No. EU 006618070-002 Box Quantity Per Pallet (80 x 120 x 180-200 cm) 350 Pcs Quantity Per Layer (Pallet) 50 Pcs Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight ardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 175 °C Min. usage temperature Min. pH-value in usage concentration 10.5 ph GTIN-13 Number 5705022022799	Complies with Halal and Kosher	Yes
Box Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) So Pcs Box Length Sox Width Box Width Length/Depth Width Som Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration To Pcs Son 350 Pcs 360 Pcs	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 50 Pcs Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight cardboard (Recycling symbol "20" PAP) 10.03 kg Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration GION Pcs 120 Pcs 121 Pcs 122 Pcs 123 Pcs 124 Pcs 125 Pcs 126 Pcs 127 Pcs 127 Pcs 128 Pcs 129 Pcs 120 Pcs 121 Pcs 121 Pcs 122 Pcs 123 Pcs 124 Pcs 125 Pcs 126 Pcs 127 Pcs 127 Pcs 128 Pcs 129 Pcs	Design Registration No.	EU 006618070-002
Quantity Per Layer (Pallet) Box Length Box Width Box Height Length/Depth Clength/Depth Width Som Height 128 mm Net Weight Cubic metre Cubic metre Cubic metre Cubic metre Max. cleaning temperature (Dishwasher) Max. usage temperature (Food contact) Max usage temperature (non food contact) Min. pH-value in usage concentration Max. pH-value in usage Concentration Max. usage temperature (Josephana) Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number 320 mm 480 mm 490 m	Box Quantity	5 Pcs.
Box Length Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Quantity per Pallet (80 x 120 x 180-200 cm)	350 Pcs.
Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 57050220222799	Quantity Per Layer (Pallet)	50 Pcs.
Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Max. drying temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number 5705022022799	Box Length	320 mm
Length/Depth270 mmWidth5 mmHeight128 mmNet Weight0.19 kgWeight cardboard (Recycling symbol "20" PAP)0.03 kgTare total0.03 kgGross Weight0.22 kgCubic metre0.000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMin. usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 phMax. pH-value in Usage Concentration10.5 phGTIN-13 Number5705022022799	Box Width	240 mm
Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Box Height	165 mm
Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Length/Depth	270 mm
Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Width	5 mm
Weight cardboard (Recycling symbol "20" PAP) O.03 kg Tare total O.03 kg Gross Weight Cubic metre O.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705022022799	Height	128 mm
Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Net Weight	0.19 kg
Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705022022799	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (non food contact) 175 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705022022799	Gross Weight	0.22 kg
Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Cubic metre	0.000173 M3
Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration CTIN-13 Number 175 °C 175 °C 175 °C 175 °C 120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Max. usage temperature (food contact)	175 °C
Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Max usage temperature (non food contact)	175 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022799	Max. drying temperature	120 °C
GTIN-13 Number 5705022022799	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705028022806	GTIN-13 Number	5705022022799
· · · · · · · · · · · · · · · · · · ·	GTIN-14 Number (Box quantity)	15705028022806

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.