Mixer with Holes, Ø31 mm, 1200 mm, White







This fully-moulded Mixer features a long handle and a small blade with holes. Suitable for stirring food ingredients in large pots and vats, the holes ease stirring by allowing ingredients to pass through the stirrer blade.

Technical Data

Product Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (ER 21¹ Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 7 mm Product Diameter 1100 mm Width 163 mm Net Weight Weight Loardboard (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling Symbol "20" PAP) 1 0.042 kg Gross Weight 0.052 kg Gross Weight 0.052 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH	Item Number	70125
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Quantity 1 Pcs. Box Width 163 mm Box Width 163 mm Box Width	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 189 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 38 °C Max. usage temperature (Inon food contact) 100 °C Max. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Product Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation (CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Width 163 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 33 °C Max. usage temperature (non food contact) 100 °C Min. usage temper	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Min. pH-value in	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 33 °C Max. usage temperature (food contact) 100 °C Min. usage temperature in food contact) 100 °C Min. usage temperature 20 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max. usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 2 pH Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH <td>Complies with California Proposition 65</td> <td>Yes</td>	Complies with California Proposition 65	Yes
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH	Complies with Halal and Kosher	Yes
Quantity Per Pallet (80 x 120 x 180-200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Quantity	1 Pcs.
Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	120 Pcs.
Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Length	1200 mm
Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.042 kg Tare total 0.0629 kg Gross Weight 0.095 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Width	163 mm
Length/Depth1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Height	37 mm
Width163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Product Diameter	31 mm
Height37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Length/Depth	1200 mm
Net Weight0.89 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Width	163 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Height	37 mm
Weight cardboard (Recycling symbol "20" PAP)0.042 kgTare total0.0629 kgGross Weight0.95 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Net Weight	0.89 kg
Tare total 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0209 kg
Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Weight cardboard (Recycling symbol "20" PAP)	0.042 kg
Cubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Tare total	0.0629 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Gross Weight	0.95 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.007237 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Max. usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705020701252	Max. pH-value in Usage Concentration	10.5 pH
	GTIN-13 Number	5705020701252

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.