70143

Mixer w/Holes, Metal Detectable, Ø31 mm, 1200 mm, Blue







This fully-moulded, metal-detectable Mixer features a small blade and a long handle. Suitable for stirring food ingredients in large pots and vats. Small holes allow ingredients to pass through the stirrer blade and ease stirring. Metal detection can be confirmed using a test kit (11113).

Technical Data

Material Polypropylene Metal & X -Ray detectable additive Complies with EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with CAI 8010 No. 704 on food contact materials Yes Complies with CAI 6010 No. 704 on food contact materials Yes Complies with CAI fornia Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Dopth 1200 mm Width 163 mm Height 37 mm Net Weight 1.023 kg Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Tare total 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 100 °C Mix. usage temperature (food contact)	Item Number	70143
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with UX 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Iosh washer)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (Iosh contact)100 °CMin. usage temperature (Iosh contact)105 PHMetal DetectableYesGTIN-13 Number5705022032712	Material	
Manufacturing PractičeComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Atal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox With Hala163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 cmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgCross Weight1.06 kgConse weight1.06 kgConse weight1.06 kgConse weight1.07 kgConse weight1.08 kgConse weight1.01 kgConse weight1.01 kgConse weight1.01 kgConse weight1.01 kgConse weight1.01 kgConse weight1.06 kgConse weight1.01 kgConse weight1.01 kgConse weight1.01 kgConse weight1.01 kgConse weight1.01 kgConse weight1.06 kgConse weight1.06 kgConse weight1.06 kgConse weight1.06 kgConse weight1.	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature?-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 ammHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Withh163 mmBox Kength37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmNet Height37 mmProduct Diameter31 mmLength/Depth1000 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (food contact)2 PHMax. pH-value in usage concentration2 PHMax. pH-value in Usage Concentration2 PHMetal DetectableYesGTIN-13 Number5705022032712	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMin. usage temperature in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight1020 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Ioishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712	Complies with California Proposition 65	Yes
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight100 mmWidth163 mmHeight1,023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature a-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. DH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Box Quantity	1 Pcs.
Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Quantity per Pallet (80 x 120 x 180-200 cm)	120 Pcs.
Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Width 163 mm Height 1200 mm Width 163 mm Height 37 mm Net Weight 1.023 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg Weight cardboard (Recycling symbol "20" PAP) 0.0209 kg Tare total 0.0418 kg Gross Weight 1.06 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max. usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032712	Quantity Per Layer (Pallet)	1 Pcs.
Box Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712	Box Length	1200 mm
Product Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Box Width	163 mm
Length/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032712	Box Height	37 mm
Width163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Product Diameter	31 mm
Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Length/Depth	1200 mm
Net Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Width	163 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Height	37 mm
Weight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Net Weight	1.023 kg
Tare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0209 kg
Gross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Weight cardboard (Recycling symbol "20" PAP)	0.0209 kg
Cubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Tare total	0.0418 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Gross Weight	1.06 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Cubic metre	0.007237 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Max. usage temperature (food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032712	Min. usage temperature ³	-20 °C
Metal DetectableYesGTIN-13 Number5705022032712	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705022032712	Max. pH-value in Usage Concentration	10.5 pH
	Metal Detectable	Yes
Customs Tariff No. 39241000	GTIN-13 Number	5705022032712
	Customs Tariff No.	39241000

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.