70145

Mixer w/Holes, Metal Detectable, Ø31 mm, 1200 mm, White







This fully-moulded, metal-detectable Mixer features a small blade and a long handle. Suitable for stirring food ingredients in large pots and vats. Small holes allow ingredients to pass through the stirrer blade and ease stirring. Metal detection can be confirmed using a test kit (11113).

## **Technical Data**

-Ray detectable additive   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Manufacturing Practice Yes   Complies with FDA Regulation 1CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 1 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs.   Quantity Per Layer (Pallet) 1 Pcs.   Box Length 1200 mm   Box Kight 163 mm   Box Height 37 mm   Product Diameter 31 mm   Product Length/Depth 1200 mm   Product Height 37 mm   Product Height 1023 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0209 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0209 kg   Cobic metre 0.007237 M3   Recommended sterillsation temperature (Autoclave) 121 "C   Max. cleaning temperature (Dishwasher) 33 "c	Item Number	70145
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation I CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity per Pallet (80 x 120 x 180-200 cm)120 Fcs.Quantity Per Layer (Pallet)1 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgGross Weight0.06418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Ioshwasher)39 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750 <th>Material</th> <th></th>	Material	
Manufacturing PracticeComplies with FDA Regulation I CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity per Pallet (80 x 120 x 180-200 cm)1 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Vidth163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Leaning temperature (Iosh washer)93 °CMax usage temperature (Iosh contact)100 °CMax usage temperature (Iosh contact)100 °CMax. sage temperature (Iosh contact)100 °CMax. sage temperature (Iosh contact)100 °CMax. pl-value in usage concentration2 pHMax. Pl-value in	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 nmBox Width163 nmBox Height37 nmProduct Diameter31 nmProduct Length/Depth1200 nmProduct Width163 nmProduct Width163 nmProduct Width163 nmProduct Width163 nmProduct Height37 nmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dosh contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Diameter11200 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Width163 mmProduct Wight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (food contact)2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Kleight37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Width163 mmProduct Kleight37 mmProduct Kleight37 mmProduct Height37 mmProduct Height1.023 kgWeight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Iosh contact)100 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Length/Depth1200 mmProduct Height37 mmProduct Height1023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature'-20 °CMin. pI-value in usage concentration2 pHMax. pI-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Complies with California Proposition 65	Yes
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Kidth163 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)00 °CMin. usage temperature (non food contact)2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Height163 mmNet Weight1023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. IP-value in Usage Concentration10.5 pHMetal DetectableYeesGTIN-13 Number5705022032750	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Box Quantity	1 Pcs.
Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Quantity per Pallet (80 x 120 x 180-200 cm)	120 Pcs.
Box Width 163 mm   Box Height 37 mm   Product Diameter 31 mm   Product Length/Depth 1200 mm   Product Width 163 mm   Product Height 37 mm   Net Weight 1.023 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0209 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0209 kg   Tare total 0.0418 kg   Gross Weight 1.06 kg   Cubic metre 0.007237 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (food contact) 100 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature a -20 °C   Min. pH-value in usage concentration 2 pH   Max. pH-value in Usage Concentration 2 pH   Max. pH-value in Usage Concentration 2 pH   Max. 10.5 pH Yes   GTIN-13 Number 5705022032750	Quantity Per Layer (Pallet)	1 Pcs.
Box Height37 mmProduct Diameter31 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Box Length	1200 mm
Product Diameter31 mmProduct Length/Depth1200 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Box Width	163 mm
Product Length/Depth1200 mmProduct Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature 3-20 °CMin. usage temperature 3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYesGTIN-13 Number5705022032750	Box Height	37 mm
Product Width163 mmProduct Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Product Diameter	31 mm
Product Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Product Length/Depth	1200 mm
Net Weight1.023 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Product Width	163 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0209 kgWeight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Product Height	37 mm
Weight cardboard (Recycling symbol "20" PAP)0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Net Weight	1.023 kg
Tare total0.0418 kgGross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0209 kg
Gross Weight1.06 kgCubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Weight cardboard (Recycling symbol "20" PAP)	0.0209 kg
Cubic metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Tare total	0.0418 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Gross Weight	1.06 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Cubic metre	0.007237 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Max. usage temperature (food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032750	Min. usage temperature <sup>3</sup>	-20 °C
Metal DetectableYesGTIN-13 Number5705022032750	Min. pH-value in usage concentration	2 pH
<b>GTIN-13 Number</b> 5705022032750	Max. pH-value in Usage Concentration	10.5 pH
	Metal Detectable	Yes
	GTIN-13 Number	5705022032750
Customs Tariff Number 39241000	Customs Tariff Number	39241000

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below  $0^{\circ}$  Celsius.