

70429

# Compact Wall/Deck Scrub, 225 mm, Hard, Black



Clean around equipment and against walls and comply with HACCP principles with this colour-coded Deck/Wall Scrub. Features angled bristles around the perimeter and a rounded, compact design for improved durability.

# Technical Data

<b>Item Number</b>	70429
<b>Bristle stiffness</b>	Hard
<b>Visible bristle length</b>	42 mm
<b>Connection</b>	Threaded
<b>Material</b>	Polyester (PBT) Polypropylene Stainless Steel (AISI 304)
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>Complies with FDA Regulation CFR 21<sup>1</sup></b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Complies with REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>Complies with California Proposition 65</b>	Yes
<b>Complies with Halal and Kosher</b>	Yes
<b>PFAS intentionally added</b>	No
<b>Design Registration No.</b>	EU 008554125-0005, UK 6139375
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>	640 Pcs
<b>Quantity Per Layer (Pallet)</b>	80 Pcs.
<b>Box Length/Depth</b>	380 mm
<b>Box Width</b>	290 mm
<b>Box Height</b>	175 mm
<b>Product Length/Depth</b>	225 mm
<b>Product Width</b>	75 mm
<b>Product Height</b>	115 mm
<b>Net Weight</b>	0.33 kg
<b>Plastic Packaging (Recycling Symbol "4")</b>	0.0078 kg
<b>Cardboard Packaging (Recycling symbol "20" PAP)</b>	0.0122 kg
<b>Total Tare Weight</b>	0.02 kg
<b>Gross Weight</b>	0.35 kg
<b>Cubic metre</b>	0.001941 M3
<b>Recommended sterilisation temperature (Autoclave)</b>	121 °C
<b>Max. cleaning temperature (Dishwasher)</b>	93 °C
<b>Max usage temperature (food contact)</b>	80 °C
<b>Max usage temperature (non food contact)</b>	100 °C
<b>Min. usage temperature<sup>3</sup></b>	-20 °C

<b>Max. drying temperature</b>	100 °C
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705022046139
<b>GTIN-14 Number (Box quantity)</b>	15705028046147
<b>Customs Tariff Number</b>	96039099
<b>UNSPSC Code</b>	47131605
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.