## 706066

Wall-/Floor Washing Brush, 305 mm, Hard, Brown







This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.

## **Technical Data**

Item Number706066Bristle stiffnessHardVisible bristle length44 mmConnectionThreadedMaterialPolypropythere Polyester (PBT) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with KDA Regulation (CFR 21'YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Balal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pes.Quantity Per Pallet (80 x 120 x approx.180 cm)448 Pcs.Box Length/Depth610 mmBox Vidth290 mmBox Vidth305 mmProduct Length/Depth305 mmProduct Length/Depth0.087 kgWeight Cardboard (Recycling Symbol "20" PAP)0.037 kgVeight bag (Recycling Symbol "20" PAP)0.037 kgCotal Tare Weight0.0447 kgConsequent (Interpretare (Ioshwasher)33 °CMax usage temperature (Ioshwasher)33 °CMax usage temperature (Iood contact)000 °CMin. usage temperature (Ioshwasher)33 °CMax usage temperature (Ioshwasher)33 °CMax usage temperature (Iood contact)00 °CMax usage temperature (Iood contact)00		
Visible bristle length44 mmConnectionThreadedMaterialPolypropylene Polyester (PET) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EDA Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pes.Quantity per Pallet (80 x 120 x approx.180 cm)448 Pes.Quantity Per Layer (Pallet)64 Pcs.Box Kleight200 mmBox Kleight200 mmProduct Undth85 mmProduct Undth85 mmProduct Undth55 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight bag (Recycling Symbol "20" PAP)0.037 kgTotal Tare Weight0.644 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 "CMax. cleaning temperature (lois contact)80 "CMax usage temperature (non food contact)80 "CMax. draing temperature-20 "CMax. draing	Item Number	706066
ConnectionThreadedMaterialPolypropylene Polyester (PET) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with EU Regulation 1CFR 21'YesComplies with KEACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity Per Pallet (80 x 120 x approx.180 cm)448 Pcs.Quantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth0.59 kgWeight adlocard (Recycling symbol "20" PAP)0.037 kgOutal Tare Weight0.644 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (food contact)100 °CMax. drying temperature-20 °CMax.	Bristle stiffness	Hard
Material   Polypropylene Polyester (PBT) Stainless Steel (AISI 304L)     Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> Yes     Complies with EU Regulation 2023/2006/EC of Good   Yes     Complies with FDA Regulation 1 CFR 21 <sup>1</sup> Yes     Complies with REACH Regulation (EC) No. 1907/2006   Yes     Complies with California Proposition 65   Yes     Complies with Halal and Kosher   Yes     PFAS, Phthalates and BPA intentionally added   No     Box Quantity   16 Pcs.     Quantity per Pallet (80 x 120 x approx.180 cm)   448 Pcs     Quantity Per Layer (Pallet)   64 Pcs.     Box Length/Depth   610 mm     Box Kidth   290 mm     Box Kleight   0.059 kg     Weight Length/Depth   305 mm     Product Length/Depth   0.0087 kg     Weight bag (Recycling Symbol "4")   0.0047 kg     Weight Lardboard (Recycling Symbol "4")   0.00457 kg     Gross Weight   0.64 kg     Cubic metre   0.002852 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperature (Dishwasher)   93 °C	Visible bristle length	44 mm
(PBT) Stainless Steel (AISI 304L)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Complies with FDA Regulation CFR 21' Yes   Complies with K2019 No. 704 on food contact materials Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 16 Pcs.   Quantity per Pallet (80 x 120 x approx.180 cm) 448 Pcs.   Quantity Per Layer (Pallet) 64 Pcs.   Box Length/Depth 610 mm   Box Kidth 290 mm   Box Length/Depth 305 mm   Product Length/Depth 305 mm   Product Width 85 sm   Product Height 110 mm   Net Weight bag (Recycling Symbol "4") 0.0087 kg   Weight cardboard (Recycling Symbol "20" PAP) 0.037 kg   Total Tare Weight 0.64 kg   Cubic metre 0.002852 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C   Max usage temperature (non f	Connection	Threaded
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight bag (Recycling Symbol "20" PAP)0.037 kgTotal Tare Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (IOIshwasher)33 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °C	Material	(PBT) Stainless Steel
Manufacturing PracticeComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ios contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 nmBox Width290 nmBox Height200 nmProduct Length/Depth305 mmProduct Height110 nmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight acrobard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ios contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °C	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "20" PAP)0.037 kgTotal Tare Weight0.4457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ioishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth305 mmProduct Width85 mmProduct Width0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.645 rgQubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth305 mmProduct Width85 mmProduct Width0.097 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.644 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioshwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth305 mmProduct Height110 mmNot Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity16 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth305 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.645 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)448 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth305 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.644 kgCubic cmetre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)64 Pcs.Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Length/Depth305 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	16 Pcs.
Box Length/Depth610 mmBox Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Width85 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	448 Pcs
Box Width290 mmBox Height200 mmProduct Length/Depth305 mmProduct Width85 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	64 Pcs.
Box Height200 mmProduct Length/Depth305 mmProduct Width85 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length/Depth	610 mm
Product Length/Depth305 mmProduct Width85 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	290 mm
Product Width85 mmProduct Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature a-20 °CMax. drying temperature100 °C	Box Height	200 mm
Product Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Product Length/Depth	305 mm
Net Weight0.59 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Product Width	85 mm
Weight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Product Height	110 mm
Weight cardboard (Recycling symbol "20" PAP)0.037 kgTotal Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Net Weight	0.59 kg
Total Tare Weight0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight bag (Recycling Symbol "4")	0.0087 kg
Gross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.037 kg
Cubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Total Tare Weight	0.0457 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.64 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.002852 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022014695
GTIN-14 Number (Box quantity)	15705028014726
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.