Wall-/Floor Washing Brush, 470 mm, Hard, White







This large washing Brush is great for cleaning all types of floor surfaces, including epoxy, tiles and cement. Can be used with any Vikan handle.

Technical Data

Bristle stiffness Hard Visible bristle length 44 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 344 Pcs. Box Length 510 mm Box Width 300 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.007 Max. cleaning temperature (Dishwasher) 80 °C	Item Number	70625
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with TPA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 364 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Recommended sterilisation temperature (Autoclave) 121 ° C Max. cleaning temperature (Dishwasher) 93 ° C Max usage temperature (food contact) 80 ° C	Bristle stiffness	Hard
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added No Box Quantity 8 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 115 mm Net Weight 470 mm Net Weight 98 Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10 0.04324 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 80 °C Max. drying temperature 100 °C Min. usage temperature Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Visible bristle length	44 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food conta	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Box Length 510 mm Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0087 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 PH		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length510 mmBox Width300 mmBox Height210 mmLength470 mmWidth80 mmHeight115 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature*-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with California Proposition 65	Yes
Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 48 Pcs. Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Quantity	8 Pcs.
Box Length 510 mm Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	384 Pcs
Box Width 300 mm Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	48 Pcs.
Box Height 210 mm Length 470 mm Width 80 mm Height 115 mm Net Weight 0.83 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0353 kg Tare total 0.044 kg Gross Weight 0.87 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Length	510 mm
Length470 mmWidth80 mmHeight115 mmNet Weight0.83 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	300 mm
Width80 mmHeight115 mmNet Weight0.83 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	210 mm
Height115 mmNet Weight0.83 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	470 mm
Net Weight0.83 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	80 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	115 mm
Weight cardboard (Recycling symbol "20" PAP)0.0353 kgTare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.83 kg
Tare total0.044 kgGross Weight0.87 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0087 kg
Gross Weight Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.0353 kg
Cubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.044 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.87 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.004324 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
_ · · · · · · · · · · · · · · · · · · ·	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705020070621
GTIN-13 Number	5705020070624

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.