

# Ultra Hygiene Flex Squeegee

600 mm, Orange



Item Number: 73607



The Ultra Hygienic Flex Squeegee is the next evolution of Vikan's category-defining hygienic design—combining trusted single blade simplicity with enhanced flexibility for improved cleaning performance.

Developed in close collaboration with customers, this new variant responds to the need for a softer, more flexible blade that performs more effectively on wet and uneven floors.

Building on the single blade design preferred by auditors and end users, it improves surface contact and liquid removal—delivering greater efficiency in demanding cleaning environments.

Unlike traditional models, the Ultra Hygienic Flex Squeegee is effective when both pulling and pushing liquids, making it ideal for areas with frequent washdowns and high moisture levels.

Maintaining Vikan's proven Ultra Hygienic design, the squeegee is fully moulded for easy cleaning and reduced contamination risk.

Manufactured from FDA and EU food-contact compliant materials and available in 12 colour-coded options, it integrates seamlessly into existing hygiene systems.

Compatible with all Vikan threaded handles, this versatile tool can also be used on smooth surfaces to collect fine particles—making it suitable for both wet and dry cleaning tasks.

## General Information

Connection	Euro Threaded
Colour	Orange
Material	Polypropylene, TPE Rubber
UNSPSC Code	47121812
Country of Origin	Denmark

## Product Dimensions

Product Length/Depth	600 mm
Product Width	80 mm
Product Height	95 mm
Net Weight	0.33 kg

## Packaging & Shipping Details

Box Quantity	15 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	420 Pcs.
Quantity Per Layer (Pallet)	60 Pcs.
Box Length/Depth	610 mm
Box Width	290 mm
Box Height	200 mm
Plastic Packaging (Recycling Symbol "4") LDPE per Pcs.	0.009 kg
Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.	0.0213 kg
Total Tare Weight	0.0303 kg



## Item Number: 73607

Gross Weight	0.36 kg
Cubic metre	0.00456 M3
GTIN-13 Number	5705022054028
GTIN-14 Number (Box quantity)	15705028054012
Customs Tariff Number	96039099

## Compliance & Standard Details

Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Phthalates intentionally added	No
Bisphenols intentionally added	No

## Usage Limits

Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. usage temperature (food contact)	50 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

## Design & Patent Registration Details

Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
-------------------------	---------------------------------------

## Sustainability Details

Product Recycling Symbol "7", Miscellaneous Plastics	Yes
--	-----

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.

