Hygienic Hand Squeegee w/replacement cassette, 250 mm, Red







Designed for removing water and waste while maintaining high levels of hygiene, this squeegee comes with a replacement cassette that is easily removed for cleaning or replacement (Series 7731 replacement blades).

Technical Data

Connection Threaded Material Polypropylene TPE Rubber Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with WK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 960 Pcs Quantity Per Layer (Pallet) 150 pm Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 250 mm Product Width 70 mm Product Height 95 mm Net Weight cardboard (Recycling symbol "4") 0.013 kg Weight cardboard (Recycling symbol "20" PAP) 0.013	Item Number	77114
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Gozoos048400.9 Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 250 mm Product Length/Depth 70 mm Product Height 95 mm Net Weight Qecycling symbol "4") Quantity Recycling Symbol "4") Quantity Recycling symbol "20" PAP) Total Tare Weight Questing temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature³ -20 °C Min. usage temperature (non food contact)	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Box Length/Depth 515 mm Box Width 295 mm Product Length/Depth 250 mm Product Length/Depth Product Width 70 mm Product Height 95 mm Net Weight ag (Recycling Symbol "4") Net Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.0173 kg Gross Weight Cubic metre 0.001663 M3 Recommended sterillisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperatures Max usage temperatures Min. usage temperatures Min. usage temperatures 100 °C Min. usage temperatures	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GBB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Box Length/Depth 120 Pcs. Box Length/Depth 515 mm Box Width 295 mm Product Length/Depth 250 mm Product Length/Depth Product Width 70 mm Product Width 70 mm Product Height 95 mm Net Weight bag (Recycling Symbol "4") 0.013 kg Gross Weight Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Tood contact) Min. usage temperature' 0.00 °C Max usage temperature' 100 °C Min. usage temperature (no food contact)	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validaded in DK, DE, FFA and GB, DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 250 mm Product Width 70 mm Product Weight 95 mm Net Weight bag (Recycling Symbol "4") 0.013 kg Weight bag (Recycling Symbol "20" PAP) 0.013 kg Total Tare Weight 0.22 kg Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C <th>Complies with (EC) 1935/2004 on food contact materials¹</th> <th>Yes</th>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 250 mm Product Width 70 mm Product Width 70 mm Product Weight 0.2 kg Weight bag (Recycling Symbol "4") 0.0043 kg Weight cardboard (Recycling symbol "20" PAP) 10.173 kg Gross Weight 0.22 kg Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperatures 100 CM Min. usage temperature (Min. usage temperatures 100 CM Min. usage temperature (Min. usage temperatures)	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Gound typer Layer (Pallet) Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth Product Length/Depth 70 mm Product Width 70 mm Product Width 70 mm Product Height 95 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4") 0.0043 kg Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.0173 kg Gross Weight 0.02 kg Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) Min. usage temperature (non food contact)	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. Pat. Pending/Patent No. Box Quantity Countity Cou	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 250 mm Product Width 70 mm Product Height 95 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4") 0.0043 kg Weight cardboard (Recycling symbol "20" PAP) 0.013 kg Total Tare Weight 0.0173 kg Gross Weight 0.02 kg Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Min. usage temperature (food contact) 100 °C Min. usage temperature (food contact) 100 °C Min. usage temperature (food contact) 100	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. Pat. Pending/Patent No. Box Quantity Cuantity EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Box Length/Depth Box Width Box Width Box Height Product Length/Depth Product Length/Depth Product Width To mm Product Width Product Height 95 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature ³ -20 °C Min. usage temperature ³	Complies with California Proposition 65	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 70 mm Product Width 70 mm Product Weight 95 mm Net Weight bag (Recycling Symbol "4") Neight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.0173 kg Cross Weight Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. usage temperature (non food contact) Min. usage temperature (Ciling symbol cand cand cand cand cand cand cand cand	Complies with Halal and Kosher	Yes
Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length/Depth 515 mm Box Width 295 mm Box Height 210 mm Product Length/Depth 250 mm Product Width 70 mm Product Height 95 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4") 0.0043 kg Weight cardboard (Recycling symbol "20" PAP) 0.013 kg Total Tare Weight 0.0173 kg Gross Weight 0.22 kg Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C Min. usage temperatures -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth515 mmBox Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.02 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)120 Pcs.Box Length/Depth515 mmBox Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight wight bag (Recycling Symbol "4")0.043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.022 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	20 Pcs.
Box Length/Depth515 mmBox Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight bag (Recycling Symbol "4")0.2 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	960 Pcs
Box Width295 mmBox Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	120 Pcs.
Box Height210 mmProduct Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length/Depth	515 mm
Product Length/Depth250 mmProduct Width70 mmProduct Height95 mmNet Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	295 mm
Product Width70 mmProduct Height95 mmNet Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	210 mm
Product Height95 mmNet Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	250 mm
Net Weight0.2 kgWeight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Width	70 mm
Weight bag (Recycling Symbol "4")0.0043 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	95 mm
Weight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0173 kgGross Weight0.22 kgCubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.2 kg
Total Tare Weight Gross Weight Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Weight bag (Recycling Symbol "4")	0.0043 kg
Gross Weight Cubic metre 0.001663 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.013 kg
Cubic metre0.001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.0173 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Gross Weight	0.22 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001663 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	50 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 120 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020771149
GTIN-14 Number (Box quantity)	15705020771146
Customs Tariff Number	96039099
UNSPSC Code	47121812
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.