

77132

# Hygienic Floor Squeegee w/replacement cassette, 19.7", Green



Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7733 for replacement blades).

# Technical Data

|   |   |
|---|---|
| Item Number   | 77132   |
| Connection  | Threaded  |
| Material  | Polypropylene TPE<br>Rubber                                       |
| Recycling Symbol "7", Miscellaneous Plastics                            | Yes   |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes   |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes   |
| Complies with FDA Regulationl CFR 21 <sup>1</sup>                       | Yes   |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes   |
| Meets the REACH Regulation (EC) No. 1907/2006                           | Yes   |
| Complies with California Proposition 65                                 | Yes   |
| Complies with Halal and Kosher  | Yes   |
| PFAS, Phthalates and BPA intentionally added                            | No  |
| Pat. Pending/Patent No.   | EP2227129 validated in<br>DK, DE, FR and GB. DE<br>602008048400.9 |
| Box Quantity  | 10 Pcs.   |
| Quantity per Pallet (80 x 120 x approx.180 cm)                          | 480 Pcs.  |
| Quantity Per Layer (Pallet)   | 60 Pcs.   |
| Box Length/Depth  | 20.3 "  |
| Box Width   | 11.6 "  |
| Box Height  | 8.3 "   |
| Product Length/Depth  | 19.7 "  |
| Product Width   | 2.8 "   |
| Product Height  | 3.9 "   |
| Net Weight  | 0.6393 lbs  |
| Weight bag (Recycling Symbol "4") LDPE                                  | 0.17 lbs  |
| Weight cardboard (Recycling symbol "20" PAP)                            | 0.09 lbs  |
| Total Tare Weight   | 0.26 lbs  |
| Gross Weight  | 0.8959 lbs  |
| Cubic Feet  | 0.1237 ft3  |
| Recommended sterilisation temperature (Autoclave)                       | 249.8 °F  |
| Max. cleaning temperature (Dishwasher)                                  | 199.4 °F  |
| Max usage temperature (food contact)                                    | 122 °F  |
| Max usage temperature (non food contact)                                | 212 °F  |
| Min. usage temperature  | -4 °F   |
| Max. drying temperature   | 248 °F  |

|   |                |
|---|----------------|
| <b>Min. pH-value in usage concentration</b> | 2 pH           |
| <b>Max. pH-value in Usage Concentration</b> | 10.5 pH        |
| <b>GTIN-13 Number</b>                       | 5705020771323  |
| <b>GTIN-14 Number (Box quantity)</b>        | 15705020771320 |
| <b>Customs Tariff Number</b>                | 96039099       |
| <b>Country of Origin ISO Code</b>           | DK             |
| <b>Country of Origin</b>                    | Denmark        |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.