Hygienic Floor Squeegee w/replacement cassette, 500 mm, White







Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7733 for replacement blades).

Technical Data

Product Recycling Symbol "7", Miscellaneous Plastics Compiles with (EC) 1935/2004 on food contact materials¹ Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice Compiles with FDA Regulation I CFR 21¹ Yes Compiles with FDA Regulation (EC) No. 1907/2006 Compiles with KEACH Regulation (EC) No. 1907/2006 Yes Compiles with California Proposition 65 Yes Compiles with California Proposition 65 Yes Compiles with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length Sox Height 210 mm Box Width 295 mm Box Height 100 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight Cardboard (Recycling symbol "20" PAP) 0.04 kg Gross Weight 0.41 kg Gross Weight 0.40 kg Gross Weight 0.40 kg Gross Weight 0.41 kg Gross Weight 0.40 kg Gross W	Item Number	77135
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Box Length 515 mm Box Width 295 mm Box Width 295 mm Box Height 100 mm Net Weight 100 mm Net Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 100 md No month Height 100 mm Net Weight 100 mm Net Weight 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mm Net Weig	Material	31 13
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Box Length Sox Height 210 mm Box Height 210 mm Width 70 mm Width 70 mm Width 70 mm Net Weight 90 (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Gross Weight 0.41 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Max. drying temperature	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. BEP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity Box Quantity Box Quantity Per Pallet (80 x 120 x 180-200 cm) Box Length Box Width Box Width Box Width Box Width Box Height Length/Depth Width 100 mm Net Weight Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Toshwasher) Max. usage temperature (Ioshwasher) Max. drying temperature 100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Box Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Height 100 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperatur	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Height 100 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Food contact) 50 °C Max. usage temperature (food contact) 50 °C Min. usage temperature 120 °C Max. drying temperature 120 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. BEP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 500 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Height 100 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max. usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Height 100 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Net Weight 100 mm Net Weight 480 Pcs. Box Length 515 mm Box Height 210 mm Length/Depth 500 mm Not Weight 100 mm Net Weight 100 mm Net Weight 229 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 83 °C Max. usage temperature (food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature	Complies with California Proposition 65	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Net Weight 100 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0035 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) Max usage temperature (not food contact) Max usage temperature? 420 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Height 100 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 50 °C Min. usage temperature* -20 °C Max. drying temperature 120 °C Max. drying temperature 120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length/Depth 500 mm Width 70 mm Height 100 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)60 Pcs.Box Length515 mmBox Width295 mmBox Height210 mmLength/Depth500 mmWidth70 mmHeight100 mmNet Weight weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Quantity	10 Pcs.
Box Length515 mmBox Width295 mmBox Height210 mmLength/Depth500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs.
Box Width Box Height Length/Depth 500 mm Width 70 mm Height 100 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 70 mm Net Weight 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 100 mg Neight cardboard (Recycling symbol "20"	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmLength/Depth500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Length	515 mm
Length/Depth500 mmWidth70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Width	295 mm
Width70 mmHeight100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Height	210 mm
Height100 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Length/Depth	500 mm
Net Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0764 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.1164 kgGross Weight0.41 kgCubic metre0.0035 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Width	70 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0764 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C	Height	100 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C	Net Weight	0.29 kg
Tare total 0.1164 kg Gross Weight 0.41 kg Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0764 kg
Gross Weight Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature	Weight cardboard (Recycling symbol "20" PAP)	0.04 kg
Cubic metre 0.0035 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature	Tare total	0.1164 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature	Gross Weight	0.41 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.0035 M3
Max. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C	Max. usage temperature (food contact)	50 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020771354
GTIN-14 Number (Box quantity)	15705020771351
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.