77149

Hygienic Floor Squeegee w/replacement cassette, 600 mm, Black







Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7734 for replacement blades).

Technical Data

Material Polypropylene TPE Rubber Product Recycling Symbol "7", Miscellaneous Plastics Yes Complies with EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with EU Regulation 12FR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602000048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 200 mm Box Width 200 mm Height .0.34 kg Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0898 kg Weight to adlocard (Recycling Symbol "20" PAP) .0.37 kg Tare total 0.1268 kg Gros	Item Number	77149
Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with EU Regulation CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 60200804800.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length/Depth 600 mm Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0898 kg Weight bag (Recycling symbol "4") LDPE ≥ PCR 30% 0.0898 kg Weight cardboard (Recycling symbol "20" PAP) 0.037 kg Tare total 0.01268 M3 Recommended sterilisation temperature (Autoclave) 121 "C	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation I CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Height200 mmBox Height200 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE > PCR 30%0.0888 kgWeight tactacboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterillisation temperature (Autoclave)121 °CMax. usage temperature (food contact)50 °CMax. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °C	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length/Depth 600 mm Width 80 mm Height 110 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0898 kg Weight cardboard (Recycling symbol "20" PAP) 0.037 kg Tare total 0.1268 kg Gross Weight 0.47 kg Cubic metre 0.00528 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmWith80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.37 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 "CMax. usage temperature (Dishwasher)93 "CMax. usage temperature (non food contact)100 "CMax. usage temperature (non food contact)100 "CMax. drying temperature-20 °CMax. drying temperature120 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmBox Height00 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.477 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 "CMax. usage temperature (food contact)50 "CMax. usage temperature (food contact)50 "CMax. usage temperature-20 "CMax. drying temperature-20 "CMax. drying temperature120 "C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE > PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.477 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)50 °CMax. usage temperature-20 °CMax. usage temperature-20 °CMax. drying temperature120 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)50 °CMax. usage temperature food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoPat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °C	Complies with California Proposition 65	Yes
Pat. Pending/Patent No.EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °C	Complies with Halal and Kosher	Yes
DK, DE, FR and GB. DE 602008048400.9Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic cmetre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °C	Box Quantity	10 Pcs.
Box Length610 mmBox Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	320 Pcs.
Box Width290 mmBox Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height200 mmLength/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ibishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °C	Box Length	610 mm
Length/Depth600 mmWidth80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Width	290 mm
Width80 mmHeight110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °C	Box Height	200 mm
Height110 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Length/Depth	600 mm
Net Weight0.34 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Width	80 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0898 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Height	110 mm
Weight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Net Weight	0.34 kg
Tare total0.1268 kgGross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0898 kg
Gross Weight0.47 kgCubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.037 kg
Cubic metre0.00528 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Tare total	0.1268 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Gross Weight	0.47 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.00528 M3
Max. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature120 °C	Max. usage temperature (food contact)	50 °C
Max. drying temperature120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020771491
GTIN-14 Number (Box quantity)	15705020771498
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.