

77162

# Condensation squeegee, 400 mm, Green



Designed to effectively remove condensation from ceilings and pipes during production, this Condensation Squeegee features drain holes that allow condensation to be collected safely in a bottle or drained away through an attached hose.

# Technical Data

Item Number	77162
Connection	Threaded
Material	Polypropylene TPE Rubber
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2384681 validated in DE, FR and GB. DK177048
Box Quantity	3 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	288 Pcs
Quantity Per Layer (Pallet)	18 Pcs.
Box Length/Depth	445 mm
Box Width	260 mm
Box Height	110 mm
Product Length/Depth	400 mm
Product Width	130 mm
Product Height	80 mm
Net Weight	0.237 kg
Weight bag (Recycling Symbol "4")	0.012 kg
Weight cardboard (Recycling symbol "20" PAP)	0.038 kg
Total Tare Weight	0.05 kg
Gross Weight	0.29 kg
Cubic metre	0.00416 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020775628
GTIN-14 Number (Box quantity)	15705020775625

<b>Customs Tariff Number</b>	96039099
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.