Replacement Cassette, Hygienic, 400 mm, Green







Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7712x and 7722x).

Technical Data

Material Polypropylene TPE Rubber Product Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.012 r kg Tare tot	Item Number	77322
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.003 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.003 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 <th< td=""><td>Product Recycling Symbol "7", Miscellaneous Plastics</td><td>Yes</td></th<>	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight bag (Recycling symbol "20" PAP) 0.012 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 0		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Min. usage temperature 120 °C <td>Complies with FDA RegulationI CFR 21¹</td> <td>Yes</td>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 50 °C Min. usage temperature 120 °C <td>Complies with UK 2019 No. 704 on food contact materials</td> <td>Yes</td>	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. Pat. Pending/Patent No. Box Quantity Cuantity Cuantity per Pallet (80 x 120 x 180-200 cm) Box Length Box Length Box Width Box Width Cuantity Cuantity Cuantity Box Height Length/Depth Cuantity Cuantity Cuantity Cuantity Cuantity Box Height Cuantity Cuantit	Complies with California Proposition 65	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight Weight (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 50 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C	Complies with Halal and Kosher	Yes
Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.012 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature* -30 °C Max. drying temperature 120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet) 120 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Box Quantity	20 Pcs.
Box Length 415 mm Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Box Width 295 mm Box Height 210 mm Length/Depth 400 mm Width 30 mm Height 45 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Quantity Per Layer (Pallet)	120 Pcs.
Box Height210 mmLength/Depth400 mmWidth30 mmHeight45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Length	415 mm
Length/Depth400 mmWidth30 mmHeight45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Width	295 mm
Width30 mmHeight45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Box Height	210 mm
Height45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Length/Depth	400 mm
Net Weight0.12 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Width	30 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Height	45 mm
Weight cardboard (Recycling symbol "20" PAP)0.0127 kgTare total0.019 kgGross Weight0.14 kgCubic metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Net Weight	0.12 kg
Tare total 0.019 kg Gross Weight 0.14 kg Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0063 kg
Gross Weight Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0127 kg
Cubic metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Tare total	0.019 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -30 °C Max. drying temperature	Gross Weight	0.14 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Cubic metre	0.00054 M3
Max. usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -30 °C Max. drying temperature 120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -30 °C Max. drying temperature 120 °C	Max. usage temperature (food contact)	50 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-30 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020773228
GTIN-14 Number (Box quantity)	15705020773225
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.