

77332

Replacement Cassette, Hygienic, 19.7", Green



Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7713x and 7723x).

Technical Data

Item Number	77332
Material	Polypropylene TPE Rubber
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	20 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	960 Pcs.
Quantity Per Layer (Pallet)	120 Pcs.
Box Length/Depth	20.1 "
Box Width	11.6 "
Box Height	8.3 "
Product Length/Depth	19.7 "
Product Width	1 "
Product Height	1.8 "
Net Weight	0.3086 lbs
Weight bag (Recycling Symbol "4") LDPE	0.02 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.02 lbs
Total Tare Weight	0.04 lbs
Gross Weight	0.349 lbs
Cubic Feet	0.0199 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	122 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-22 °F
Max. drying temperature	248 °F
Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020773327
GTIN-14 Number (Box quantity)	15705020773324
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.