77533

Floor squeegee w/Replacement Cassette, 500 mm, Blue





Ideal for removing water and food debris from all types of flooring, this doublebladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77735 or 77739 for replacement blades).

## **Technical Data**

Item Number	77533
Connection	Threaded
Material	Polypropylene Cellular rubber
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with FDA RegulationI CFR 21 <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	480 Pcs
Quantity Per Layer (Pallet)	60 Pcs.
Box Length/Depth	510 mm
Box Width	295 mm
Box Height	210 mm
Product Length/Depth	500 mm
Product Width	70 mm
Product Height	115 mm
Net Weight	0.25 kg
Weight bag (Recycling Symbol "4")	0.0076 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0272 kg
Total Tare Weight	0.0348 kg
Gross Weight	0.28 kg
Cubic metre	0.004025 M3
Max. cleaning temperature (Dishwasher)	80 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	70 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020775338
GTIN-14 Number (Box quantity)	15705020775335
Customs Tariff Number	96039099

Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.