

880700

タップカップリング,(雄)ニップル,
1/2"(Q)



Fits water tap with 1/2", 3/4" or M22 mm outside thread.

When the bush is removed, the coupling fits a 3/4" external thread.

When the bush with the 2 small notches is turned it fits a 1/2" external thread

When the bush with the 2 small notches is turned down it fits a M22 mm external thread.

Low lead content.

Technical Data

製品名	880700
カップリングサイズ	1/2 "
原材料	クロムめっき真鍮 合成ゴム
FDA 適合原材料 (CFR 21) ¹	はい
REACH規則 (EC) No. 1907/2006に適合	はい
Complies with California Proposition 65	はい
ハラールおよびコーシャ準拠	はい
意図的に添加されたPFAS	いいえ
1箱当たりの数量	10 個/本
パレット (80 x 120 x 180 cm) あたりの数量	4800 Pcs.
一層 (パレット) あたりの数量	240 Pcs.
ボックス 長さ/Depth	240 mm
ボックス 幅	150 mm
ボックス 高さ	75 mm
長さ/Depth	40 mm
幅	28 mm
高さ	28 mm
正味重量	0.049 kg
袋の重さ (リサイクルシンボル「4」低密度ポリエチレン)	0.0015 kg
段ボールの重さ (Recycling symbol "20" PAP)	0.009 kg
Total Tare Weight	0.0105 kg
総重量	0.06 kg
立方メートル	3.1E-05 M3
最高洗浄温度 (食洗機)	80 ° C
最高使用温度 (食品非接触)	70 ° C

最低使用温度 ³	-30 ° C
最低使用pH値	2 pH
最高使用pH値	11 pH
最大圧力	25 Bar
GTIN-13 Number	5705022046597
GTIN-14 Number (Box quantity)	15705028046604
製品コード	74122000
製造国 ISOコード	DK
製造国	Denmark

ホースとフォーミングガンのホースカップリングには、カップリング機能を維持するために定期的にグリースを塗布する必要があります。取り付け中に塗布されたグリースは水の流れによって徐々に流し出されますので、リニューアルする必要があります。

1. この製品は水を使用する目的のみの製品で、食品に直接触れる事(フードコンタクト)は出来ません。