

9354

Adjustable nozzle, 1/2" (Q)



Intended for rinsing surfaces and equipment after foam cleaning. This adjustable nozzle produces a compact, powerful stream that loosens stubborn soils in hard-to-reach areas. Fits foaming 93209 and 93239.

Technical Data

Item Number	9354
Couplings Size	1/2 "
Material	Orgalloy Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 ¹	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
SCIP number	e0168018-f69a-4efe-99c9-e829c26a9d63
Complies with Halal and Kosher	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	16800 Pcs
Quantity Per Layer (Pallet)	1680 Pcs.
Box Length/Depth	260 mm
Box Width	80 mm
Box Height	50 mm
Product Length/Depth	70 mm
Product Width	22 mm
Product Height	22 mm
Net Weight	0.08 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0056 kg
Total Tare Weight	0.0056 kg
Gross Weight	0.09 kg
Cubic metre	3.4E-05 M3
Max usage temperature (food contact)	80 °C
Min. usage temperature ³	5 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Max. bars pressure	25 Bar
GTIN-13 Number	5705020093548
GTIN-14 Number (Box quantity)	15705020093545
Customs Tariff Number	84818099
Country of Origin ISO Code	DK
Country of Origin	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.