

10165

Hook x 4 for 1017 and 1018,
140 mm, White



4 hooks and 8 securing pins for wall brackets 1017x and 1018x.

Technical Data

Item Number	10165
Material	Polyamide
Complies with (EC) 1935/2004 on food contact materials ¹	No
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes
California Proposition 65 Compliant	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	3600 Pcs
Quantity Per Layer (Pallet)	0 Pcs.
Box Length	200 mm
Box Width	80 mm
Box Height	35 mm
Length	140 mm
Width	80 mm
Height	35 mm
Net Weight	0.06 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.006 kg
Weight cardboard	0.004 kg
Tare total	0.01 kg
Gross Weight	0.07 kg
Cubik metre	0.000392 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature ³	0 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Recycling Symbol "7", Miscellaneous Plastics	Yes
Gtin-13 Number	5705020101656
GTIN-14 Number (Box quantity)	15705020101653
Customs Tariff No.	39241000

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.