## Table & Floor Scraper, 260 mm, White





Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

## **Technical Data**

Material Polypropylene Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹ Yes  Complies with UK 2019 No. 704 on food contact materials Yes  Complies with UK 2019 No. 704 on food contact materials Yes  Complies with California Proposition 65 Yes  Complies with California Proposition 65 Yes  Complies with Halal and Kosher Yes  PFAS, Phthalates and BPA intentionally added No  Box Quantity 10 Pcs.  Quantity Per Pallet (80 x 120 x 180-200 cm) 800 Pcs  Box Length 325 mm  Box Width 265 mm  Box Width 265 mm  Box Height 135 mm  Length 32 mm  Width 260 mm  Height 155 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP) 0.0254 kg  Tare total 0.0341 kg  Gross Weight 0.29 kg  Cubic metre 0.00129 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max usage temperature (food contact) 170 °C  Max usage temperature (non food contact) 170 °C  Min. usage temperature (120 °C  Min. pH-value in usage concentration 2 pH	Item Number	29105
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 1CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 800 Pcs Box Length 325 mm Box Width 265 mm Box Height 135 mm Length 32 mm Width 265 mm Width 260 mm Height 155 mm Net Weight 0,26 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0,0254 kg Gross Weight 0,29 kg Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103	Blade Thickness	1 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 80x Width 265 mm Box Width 265 mm Box Height 135 mm Length 32 mm Width 4260 mm Height 155 mm Net Weight 266 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 cons Weight 8 commended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature 120 °C Max. drying temperature 10. 5705020029103	Material	31 13
Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 325 mm Box Width 265 mm Box Width 265 mm Width 460 mm Height 135 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 10.0254 kg Tare total 0.0341 kg Gross Weight 0.29 kg Cubic metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature 120 °C Min. usage temperature 10.5 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin. 13 Number 5705020029103	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No Box Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm)  Box Length  Box Length  Box Width  265 mm  Box Width  265 mm  Box Height  135 mm  Length  32 mm  Width  260 mm  Height  155 mm  Net Weight  0,26 kg  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  Cubic metre  0,00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Min. usage temperature  Max. drying temperature  Max. drying temperature  Max. pH-value in usage Concentration  Max. pH-value in usage Concentration  10,5 pH  Gtin-13 Number  Sougantity Per  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Y		Yes
Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  800 Pcs  Box Length  80 Pcs.  Box Length  325 mm  Box Width  265 mm  Box Height  135 mm  Length  32 mm  Width  260 mm  Height  155 mm  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max usage temperature  Max. pH-value in usage Concentration  10.5 pH  Max. pH-value in Usage Concentration  To Cd  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  S705020029103	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  800 Pcs.  Quantity Per Layer (Pallet)  80 Pcs.  Box Length  325 mm  Box Width  265 mm  Box Width  265 mm  Box Height  135 mm  Length  32 mm  Width  4260 mm  Height  55 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  7 are total  7 cubic metre  7 cubic metre  8 cubic metre  8 cubic metre  8 cubic metre  9 cubic metre  10 cubic	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roy Quantity Per Layer (Pallet) Roy Cosher (Pallet) Roy Width Roy Height Roy	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added         No           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Box Length         325 mm           Box Width         265 mm           Box Height         135 mm           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0254 kg           Tare total         0.0341 kg           Gross Weight         0.29 kg           Cubic metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         20 °C           Max. drying temperature         20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020029103	Complies with California Proposition 65	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Box Length         325 mm           Box Width         265 mm           Box Height         135 mm           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0254 kg           Tare total         0.0341 kg           Gross Weight         0.29 kg           Cubic metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         20 °C           Max. drying temperature         2 pH           Max. pH-value in usage concentration         10.5 pH           Gtin-13 Number         5705020029103	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length325 mmBox Width265 mmBox Height135 mmLength32 mmWidth260 mmHeight155 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0254 kgTare total0.0341 kgGross Weight0.29 kgCubic metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)80 Pcs.Box Length325 mmBox Width265 mmBox Height135 mmLength32 mmWidth260 mmHeight155 mmNet Weight0.26 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.087 kgWeight cardboard (Recycling symbol "20" PAP)0.0254 kgTare total0.0341 kgGross Weight0.29 kgCubic metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Box Quantity	10 Pcs.
Box Length Box Width 265 mm Box Height 135 mm Length 32 mm Width 260 mm Height 155 mm Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.0254 kg Tare total 0.0341 kg Gross Weight 0.29 kg Cubic metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Box Width  Box Height  Length  32 mm  Width  260 mm  Height  155 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020029103	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 32 mm  Length 32 mm  Width 260 mm  Height 155 mm  Net Weight 0.26 kg  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP) 0.0254 kg  Tare total 0.0341 kg  Gross Weight 0.29 kg  Cubic metre 0.00129 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max usage temperature (food contact) 170 °C  Max usage temperature (non food contact) 170 °C  Min. usage temperature (120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020029103	Box Length	325 mm
Length32 mmWidth260 mmHeight155 mmNet Weight0.26 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0254 kgTare total0.0341 kgGross Weight0.29 kgCubic metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Box Width	265 mm
Width 260 mm Height 155 mm Net Weight 0.26 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.0254 kg Tare total 0.0341 kg Gross Weight 0.29 kg Cubic metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103	Box Height	135 mm
Height155 mmNet Weight0.26 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0254 kgTare total0.0341 kgGross Weight0.29 kgCubic metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Length	32 mm
Net Weight0.26 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0254 kgTare total0.0341 kgGross Weight0.29 kgCubic metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Width	260 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  O.0254 kg  Tare total  O.0341 kg  Gross Weight  Cubic metre  O.00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Height	155 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  O.0341 kg Gross Weight  Cubic metre  O.00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  5705020029103	Net Weight	0.26 kg
Tare total 0.0341 kg Gross Weight 0.29 kg Cubic metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103		0.0087 kg
Gross Weight 0.29 kg Cubic metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103	Weight cardboard (Recycling symbol "20" PAP)	0.0254 kg
Cubic metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Tare total	0.0341 kg
Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Gross Weight	0.29 kg
Max usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Cubic metre	0.00129 M3
Max usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Max usage temperature (food contact)	170 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103	Max usage temperature (non food contact)	170 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020029103	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103	Max. drying temperature	120 °C
<b>Gtin-13 Number</b> 5705020029103	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020029100	Gtin-13 Number	5705020029103
	GTIN-14 Number (Box quantity)	15705020029100

Customs Tariff No. 82159910

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.