29142 Broom, Angle Cut, 290 mm, Very hard, Green





Easily clean narrow spaces between equipment prior to scrubbing with this versatile Angle Cut Broom featuring angled bristles. Ideal for removing dirt and larger food particles from moist surfaces.

## **Technical Data**

Visible bristie length170 mmMaterialPolypropylene Polyester Stainless Steel (AISI 30(4)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with FDA Regulation 1 CFR 21'YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity Per Pallet (80 x 120 x 180-200 cm)480 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Width210 mmLength290 mmWidth40 mmHeight270 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °G	Item Number	29142
Material     Polypropylene Polyester Stainless Steel (AISI 304)       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with EU Regulation 2023/2006/EC of Good     Yes       Manufacturing Practice     Yes       Complies with FDA Regulation 1CFR 21'     Yes       Complies with EACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     480 Pcs       Quantity Per Layer (Pallet)     60 Pcs.       Box Length     415 mm       Box Width     300 mm       Box Height     210 mm       Length     290 mm       Width     40 mm       Height     0.0128 kg       (LDPE)     0.029 kg       Tare total     0.0419 kg       Gross Weight     0.5 kg       Cubic metre     0.003132 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (food contact)     80 °C	Bristle stiffness	Very hard
Stainless Steel (AISI 304)       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with EU Regulation 2023/2006/EC of Good     Yes       Complies with FDA Regulation CFR 21'     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     480 Pcs       Quantity Per Layer (Pallet)     60 Pcs.       Box Length     415 mm       Box Width     300 mm       Box Height     210 mm       Length     40 mm       Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)     0.0129 kg       Tare total     0.0419 kg       Gross Weight     0.5 kg       Cubic metre     0.003132 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (non food contact)     80 °C	Visible bristle length	170 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth0.463 kgWeight t cardboard (Recycling Symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.03132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Material	Stainless Steel (AISI
Manufacturing Practice       Complies with FDA Regulationi CFR 211     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     480 Pcs       Quantity Per Layer (Pallet)     60 Pcs.       Box Length     415 mm       Box Withh     300 mm       Box With     210 mm       Length     290 mm       With     290 mm       With     400 mm       Height     270 mm       Net Weight     0.463 kg       Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     0.0129 kg       Weight cardboard (Recycling symbol "20" PAP)     0.029 kg       Cubic metre     0.003132 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (food contact)     80 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight0.0129 kg(LDPE)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended strilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth0.0129 kgHeight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.03132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length415 mmBox Width300 mmBox Width210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Quantity	10 Pcs.
Box Length415 mmBox Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width300 mmBox Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmLength290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Box Length	415 mm
Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Width	300 mm
Width40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Height	210 mm
Height270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Length	290 mm
Net Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °C	Width	40 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Height	270 mm
(LDPE)0.029 kgWeight cardboard (Recycling symbol "20" PAP)0.029 kgTare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.463 kg
Tare total0.0419 kgGross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0129 kg
Gross Weight0.5 kgCubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.029 kg
Cubic metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.0419 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.003132 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature³-20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature80 °C	Max. drying temperature	3° 08
Min. pH-value in usage concentration2 pH	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020291425
GTIN-14 Number (Box quantity)	15705020291422
Customs Tariff No.	96039091
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.