Broom, 330 mm, Very hard, Red





Remove heavy and larger particles from wet indoor and outdoor surfaces with this heavy-duty Broom. Can be used with any Vikan handle.

Technical Data

Bristle stiffness Very hard Visible bristle length 105 mm Material Pollyproplene Polypester Stainless Steel (AISS) 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity per Pallet (80 x 120 x 180-200 cm) 288 Pcs Quantity per Layer (Pallet) 32 Pcs Box Length 610 mm Box Width 290 mm Box Height 200 mm Box Height 100 mm Length 330 mm Width 100 mm Height bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard (Recycling symbol "20" PAP) 0.0412 kg Gross Weight 0.88 kg	Item Number	29154
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EUR 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity Per Pallet (80 x 120 x 180-200 cm) 288 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 288 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 330 mm Width 100 mm Height 170 mm Net Weight 200 mm Length 330 mm Width 100 mm Height 170 mm Net Weight 200 mm Complete Complete Symbol "4" Low Density Polyethylene (LDPE) 0.0412 kg Tare total 0.055 kg Gross Weight 0.88 kg Cubic metre 0.00561 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature? 40 °C Max. drying temperature? 80 °C Max. drying temperature.	Bristle stiffness	Very hard
Staintess Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Aunufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Latina	Visible bristle length	105 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 288 Pcs Quantity Per Layer (Pallet) 32 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Height 170 mm Net Weight 400 mm Height Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0412 kg Tare total 0.055 kg Gross Weight Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 80 °C Max. drying temperature	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 288 Pcs Quantity Per Layer (Pallet) 32 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 330 mm Width 100 mm Height 170 mm Net Weight 0.82 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0412 kg Weight cardboard (Recycling symbol "20" PAP) 0.0412 kg Tare total 0.055 kg Gross Weight 0.88 kg Cubic metre 0.00561 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C<	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)288 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0412 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature80 °C	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)288 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature80 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)288 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature80 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)288 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature80 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)288 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (aux drying temperature80 °C	Complies with California Proposition 65	Yes
Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 288 Pcs Quantity Per Layer (Pallet) 32 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 330 mm Width 100 mm Height 170 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0412 kg Tare total 0.055 kg Gross Weight 0.88 kg Cubic metre 0.00561 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ³ -20 °C Max. drying temperature 80 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)288 PcsQuantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature80 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)32 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature80 °C	Box Quantity	8 Pcs.
Box Length610 mmBox Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	288 Pcs
Box Width290 mmBox Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature80 °C	Quantity Per Layer (Pallet)	32 Pcs.
Box Height200 mmLength330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Box Length	610 mm
Length330 mmWidth100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Box Width	290 mm
Width100 mmHeight170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Box Height	200 mm
Height170 mmNet Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Length	330 mm
Net Weight0.82 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Width	100 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0412 kgTare total0.055 kgGross Weight0.88 kgCubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Height	170 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00561 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 80 °C Max. drying temperature	Net Weight	0.82 kg
Tare total 0.055 kg Gross Weight 0.88 kg Cubic metre 0.00561 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (some contact) 100 °C Max. drying temperature 80 °C		0.0138 kg
Gross Weight Cubic metre 0.00561 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 80 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0412 kg
Cubic metre0.00561 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Tare total	0.055 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Gross Weight	0.88 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Cubic metre	0.00561 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 80 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature 80 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	80 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020291548
GTIN-14 Number (Box quantity)	15705020291545
Customs Tariff No.	96039091
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.