29205 Broom, 530 mm, Very hard, White







Remove heavy and larger particles from wet indoor and outdoor surfaces with this heavy-duty Broom. Can be used with any Vikan handle.

Technical Data

Bristle stiffness Very hard Visible bristle length 105 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 4 Pcs. Quantity per Pailet (80 x 120 x 180-200 cm) 199 Pcs Quantity Per Layer (Pailet) 24 Pcs. Box Length 510 mm Box Width 300 mm Box Width 90 mm Height 1.17 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.0079 kg Cubic metre 0.008347 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (odo contact) </th <th>Item Number</th> <th>29205</th>	Item Number	29205
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with CAIffornia Proposition 65 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Box Quantity 4 Pcs. Quantity Per Layer (Pallet) 24 Pcs. Box Length 510 mm Box Vidth 300 mm Box Kleight 210 mm Length 530 mm Width 90 mm Height 1.17 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0079 kg Weight cardboard (Recycling symbol "20" PAP) 0.1 kg Tare total 0.1079 kg Cubic metre 0.008347 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact)	Bristle stiffness	Very hard
Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with EDA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 4 Pcs. Quantity Per Layer (Pallet) 24 Pcs. Box Length 510 mm Box Vidth 300 mm Box Height 210 mm Length 530 mm Width 90 mm Height 1.17 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (D0079 kg 0.0079 kg (LDPE) 0.1 kg Gross Weight 1.28 kg Cubic metre 0.008347 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. dr	Visible bristle length	105 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with WX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Kidth300 mmBox Height210 mmLength530 mmWidth90 mmHeight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature80 °C	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 192 Pcs Quantity Per Layer (Pallet) 24 Pcs. Box Length 510 mm Box Vidth 300 mm Box Height 210 mm Length 530 mm Width 90 mm Height 1.17 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0079 kg Cubic metre 0.008347 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature -20 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Height210 nmLength530 nmWidth90 mmHeight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature90 °CMax. drying temperature80 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Height210 nmLength530 nmWidth90 mmHeight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature80 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Width300 mmBox Height210 nmLength530 mmWidth90 mmHeight1.75 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature80 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Width300 mmBox Height210 mmLength530 mmWidth90 mmHeight1.17 kgWeight per Cycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax. usage temperature0.00 °CMax. drying temperature80 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Width300 mmBox Height210 mmLength530 mmWidth90 mmHeight1.75 mmNet Weight1.17 kgWeight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature80 °C	Complies with California Proposition 65	Yes
Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Width300 mmBox Height210 mmLength530 mmWidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature80 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)192 PcsQuantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Width300 mmBox Height210 mmLength530 mmWidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature80 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)24 Pcs.Box Length510 mmBox Width300 mmBox Width300 mmBox Height210 mmLength530 mmWidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature80 °C	Box Quantity	4 Pcs.
Box Length510 mmBox Width300 mmBox Height210 mmLength530 mmWidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature0.00 c°CMax. drying temperature80 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	192 Pcs
Box Width300 mmBox Height210 mmLength530 mmVidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature80 °C	Quantity Per Layer (Pallet)	24 Pcs.
Box Height210 mmLength530 mmWidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature80 °C	Box Length	510 mm
Length530 mmWidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature80 °C	Box Width	300 mm
Vidth90 mmHeight175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature80 °C	Box Height	210 mm
Height175 mmNet Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature80 °C	Length	530 mm
Net Weight1.17 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0079 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature80 °CMax. drying temperature80 °C	Width	90 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0079 kg(LDPE)0.1 kgWeight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature80 °C	Height	175 mm
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.1 kgTare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature	Net Weight	1.17 kg
Tare total0.1079 kgGross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature80 °C		0.0079 kg
Gross Weight1.28 kgCubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Weight cardboard (Recycling symbol "20" PAP)	0.1 kg
Cubic metre0.008347 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Tare total	0.1079 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Gross Weight	1.28 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Cubic metre	0.008347 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature80 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature80 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature 80 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	80 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020029202
GTIN-14 Number (Box quantity)	15705020029209
Customs Tariff No.	96039091
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.