

29595

Aluminum Handle, Ø25 mm,  
1460 mm, White



This handle with colour-coded grip can be used with any product in the Vikan range.

# Technical Data

Item Number	29595
Connection	Threaded
Material	Anodised Aluminium Polypropylene
Recycling Symbol "7", Miscellaneous Plastics	No
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	500 Pcs
Quantity Per Layer (Pallet)	50 Pcs.
Box Length/Depth	1480 mm
Box Width	160 mm
Box Height	60 mm
Product Diameter	25 mm
Product Length/Depth	1460 mm
Product Width	25 mm
Product Height	25 mm
Net Weight	0.33 kg
Weight bag (Recycling Symbol "4")	0.0056 kg
Total Tare Weight	0.0056 kg
Gross Weight	0.34 kg
Cubic metre	0.000913 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
GTIN-13 Number	5705020295959

<b>GTIN-14 Number (Box quantity)</b>	15705020295956
<b>Customs Tariff Number</b>	76169990
<b>UNSPSC Code</b>	47131609
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.