Ultra Hygienic Handle, Ø1.3", 66.9", Red





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Item Number	29644
Material	Polypropylene Glass reinforced
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 008521926-0005, UK 6133993, US D984,073 S
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	400 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	67.7 "
Box Width	9.3 "
Box Height	3.1 "
Product diameter	1.3 "
Length	66.9 "
Width	1.3 "
Height	1.3 "
Net Weight	1.433 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.1 lbs
Tare Total	0.1 lbs
Gross Weight	1.5353 lbs
Cubic Feet	0.0615 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	104 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296444
GTIN-14 Number (Box quantity)	15705020296441
Customs Tariff No.	39241000
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.