

2977



Telescopic handle, Fibre  
Glass, Thread, 1880 - 6000  
mm, Ø34 mm, Grey



This telescopic handle is lightweight and ideal for cleaning exterior pipes with 5371x and 5374x.

# Technical Data

|   |                             |
|---|-----------------------------|
| <b>Item Number</b>  | 2977                        |
| <b>Material</b>   | Fibreglass<br>Polypropylene |
| <b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b> | No                          |
| <b>Complies with UK 2019 No. 704 on food contact materials</b>            | No                          |
| <b>Complies with REACH Regulation (EC) No. 1907/2006</b>                  | Yes                         |
| <b>Complies with California Proposition 65</b>                            | Yes                         |
| <b>Complies with Halal and Kosher</b>                                     | Yes                         |
| <b>Box Quantity</b>   | 1 Pcs.                      |
| <b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>                        | 125 Pcs                     |
| <b>Quantity Per Layer (Pallet)</b>  | 0 Pcs.                      |
| <b>Box Length</b>   | 1980 mm                     |
| <b>Box Width</b>  | 60 mm                       |
| <b>Box Height</b>   | 60 mm                       |
| <b>Product Diameter</b>   | 34 mm                       |
| <b>Length</b>   | 1880 mm                     |
| <b>Width</b>  | 34 mm                       |
| <b>Height</b>   | 34 mm                       |
| <b>Max. Length</b>  | 6000 mm                     |
| <b>Net Weight</b>   | 1.81 kg                     |
| <b>Weight cardboard (Recycling symbol "20" PAP)</b>                       | 0.252 kg                    |
| <b>Tare total</b>   | 0.252 kg                    |
| <b>Gross Weight</b>   | 2.06 kg                     |
| <b>Cubic metre</b>  | 0.002173 M3                 |
| <b>Recommended sterilisation temperature (Autoclave)</b>                  | 100 °C                      |
| <b>Max. cleaning temperature (Dishwasher)</b>                             | 93 °C                       |
| <b>Max usage temperature (non food contact)</b>                           | 80 °C                       |
| <b>Min. usage temperature<sup>3</sup></b>                                 | -20 °C                      |
| <b>Min. pH-value in usage concentration</b>                               | 2 pH                        |
| <b>Max. pH-value in Usage Concentration</b>                               | 10.5 pH                     |
| <b>Gtin-13 Number</b>   | 5705020029776               |
| <b>GTIN-14 Number (Box quantity)</b>                                      | 5705020029776               |
| <b>Customs Tariff No.</b>   | 96039099                    |
| <b>Country of origin</b>  | Finland                     |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.