

2991Q5



Aluminum Handle w/Quick Coupling, waterfed (Q), Ø1.2", 60.6", White



A waterfed handle with quick-release coupling and a comfortable grip, this product has been ergonomically designed to improve the working position of the user. Can be used with any waterfed product in the Vikan range, including the condensation squeegee (7716x). Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

Technical Data

Item Number	2991Q5
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fetc
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	62.6 "
Box Width	6.7 "
Box Height	3 "
Product diameter	1.2 "
Length	60.6 "
Width	1.2 "
Height	1.2 "
Net Weight	1.3007 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.07 lbs
Tare Total	0.07 lbs
Gross Weight	1.3668 lbs
Cubic Feet	0.0523 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
GTIN-13 Number	5705020299100
GTIN-14 Number (Box quantity)	15705020299107

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 32 °Fahrenheit.