

31036

# Dustpan Broom with Angled Thread, 250 mm, Medium, Yellow



A very effective, lightweight broom that can be used for sweeping both dry and wet debris. The brush pattern is designed using 2 filament diameters. The outer row of filaments is softer than the middle row, which gives a very effective sweeping quality. The filaments under the scraping edge are angled to facilitate sweeping close to walls and corners as well as under workbenches etc. An effective scraping edge has been implemented in the design to enable loosening stubborn debris from the surface.

# Technical Data

Item Number	31036
Bristle stiffness	Medium
Visible bristle length	58 mm
Connection	Threaded
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 008554125-0001, UK 6139371
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	700 Pcs
Quantity Per Layer (Pallet)	70 Pcs.
Box Length/Depth	325 mm
Box Width	235 mm
Box Height	170 mm
Product Length/Depth	250 mm
Product Width	30 mm
Product Height	120 mm
Net Weight	0.146 kg
Weight bag (Recycling Symbol "4")	0.0078 kg
Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Total Tare Weight	0.0278 kg
Gross Weight	0.17 kg
Cubic metre	0.0009 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	95 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	100 °C

<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705022028043
<b>GTIN-14 Number (Box quantity)</b>	15705028028099
<b>Customs Tariff Number</b>	96039099
<b>UNSPSC Code</b>	47131604
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.