

31732

# UST Broom, 400 mm, Medium, Green



This ULTRA SAFE TECHNOLOGY (UST) Broom comes with angled Filament Security Units for effective sweeping of dry and wet surfaces in high-risk areas. All UST brooms and brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

# Technical Data

|  |  |
|--|--|
| <b>Item Number</b>   | 31732  |
| <b>Bristle stiffness</b>   | Medium   |
| <b>Visible bristle length</b>  | 54 mm  |
| <b>Material</b>  | Polyester<br>Glass reinforced<br>Polypropylene   |
| <b>Recycling Symbol "7", Miscellaneous Plastics</b>                            | Yes  |
| <b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>      | Yes  |
| <b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b> | Yes  |
| <b>Complies with FDA Regulationl CFR 21<sup>1</sup></b>                        | Yes  |
| <b>Complies with UK 2019 No. 704 on food contact materials</b>                 | Yes  |
| <b>Complies with REACH Regulation (EC) No. 1907/2006</b>                       | Yes  |
| <b>Complies with California Proposition 65</b>                                 | Yes  |
| <b>Complies with Halal and Kosher</b>  | Yes  |
| <b>PFAS, Phthalates and BPA intentionally added</b>                            | No   |
| <b>Design Registration No.</b>   | EU 002189654-0001,<br>EU 002650838-1-4, US<br>D793091, EU<br>002650580-1-7, GB<br>9002650830001-4, GB<br>900265505800001-7 |
| <b>Pat. Pending/Patent No.</b>   | EP2816930 validated in<br>DE, FR, GB and DK.<br>US9204712<br>EP2816929 validated in<br>DE, FR, GB and DK.<br>US9357831     |
| <b>Box Quantity</b>  | 10 Pcs.  |
| <b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>                             | 400 Pcs  |
| <b>Quantity Per Layer (Pallet)</b>   | 50 Pcs.  |
| <b>Box Length</b>  | 410 mm   |
| <b>Box Width</b>   | 290 mm   |
| <b>Box Height</b>  | 210 mm   |
| <b>Length</b>  | 400 mm   |
| <b>Width</b>   | 50 mm  |
| <b>Height</b>  | 95 mm  |
| <b>Net Weight</b>  | 0.4 kg   |
| <b>Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)</b>        | 0.0063 kg  |
| <b>Weight cardboard (Recycling symbol "20" PAP)</b>                            | 0.0312 kg  |
| <b>Tare total</b>  | 0.0375 kg  |

|  |                |
|--|----------------|
| <b>Gross Weight</b>                                      | 0.44 kg        |
| <b>Cubic metre</b>                                       | 0.0019 M3      |
| <b>Max usage temperature (food contact)</b>              | 80 °C          |
| <b>Max usage temperature (non food contact)</b>          | 80 °C          |
| <b>Recommended sterilisation temperature (Autoclave)</b> | 121 °C         |
| <b>Max. cleaning temperature (Dishwasher)</b>            | 93 °C          |
| <b>Max. drying temperature</b>                           | 100 °C         |
| <b>Min. usage temperature<sup>3</sup></b>                | -20 °C         |
| <b>Max. pH-value in Usage Concentration</b>              | 10.5 pH        |
| <b>Min. pH-value in usage concentration</b>              | 2 pH           |
| <b>Gtin-13 Number</b>                                    | 5705020317323  |
| <b>GTIN-14 Number (Box quantity)</b>                     | 15705020317320 |
| <b>Customs Tariff No.</b>                                | 96039099       |
| <b>Country of origin</b>                                 | Denmark        |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.