31746 Broom, 410 mm, Soft/hard, Yellow







Designed for effective cleaning of food industry floors as well as in kitchens and restaurants, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

## **Technical Data**

Bristle stiffness       Soft/hard         Visible bristle length       60 mm         Material       Polyporpytene Polyester Stainless Steel (AISI 304)         Complies with (EC) 1935/2004 on food contact materials'       Yes         Complies with EDA Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation (ER 21'       Yes         Complies with FDA Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       10 Pcs.         Quantity Per Pallet (80 x 120 x 180-200 cm)       480 Pcs.         Box Length       545 mm         Box Length       545 mm         Box Width       275 mm         Box Height       200 mm         Length       410 mm         Width       90 mm         Height       0.0138 kg         Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)       0.0162 kg         Tare total       0.03 kg         Gross Weight       0.56 kg         Cubic metre       0.004428 M3         Recommended sterillsation temperature (Autoclave)       121 °C	Item Number	31746
Material         Polypropylene Polyester Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials'         Yes           Complies with EU Regulation 2023/2006/EC of Good         Yes           Complies with FDA Regulation 1 CFR 21'         Yes           Complies with CAIlfornia Proposition 65         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs.           Box Leigth         545 mm           Box Width         275 mm           Box Klight         220 mm           Leigth         410 mm           Width         90 mm           Height         120 mm           Net Weight         0.53 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0162 kg           Tare total         0.03 kg           Gross Weight         0.56 kg           Cubic metre         0.004428 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (iod contact)         80 °C           Max usage tem	Bristle stiffness	Soft/hard
Stainless Steel (AISI 304)         Complies with (EC) 1935/2004 on food contact materials¹       Yes         Complies with EU Regulation 2023/2006/EC of Good       Yes         Complies with FDA Regulation (FC 21¹       Yes         Complies with EDA Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with California Proposition 65       Yes         Complies with Hala and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       10 Pcs.         Quantity Per Layer (Pailet)       60 Pcs.         Box Leigth       545 mm         Box Width       275 mm         Box Height       220 mm         Length       410 mm         Width       90 mm         Height       120 mm         Net Weight bag (Recycling Symbol "4" Low Density Polyethylene       0.0182 kg         Cubic metre       0.004428 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max usage temperature (food contact)       80 °C         Max usage temperature (on food contact)       80 °C	Visible bristle length	60 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation I CFR 21'YesComplies with UX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Kidth275 mmBox Height220 mmLength410 mmWidth90 mmHeight0.0138 kg(LDPE)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Material	Stainless Steel (AISI
Manufacturing Practice         Complies with FDA RegulationI CFR 21'       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       480 Pcs         Quantity Per Layer (Pallet)       60 Pcs.         Box Length       545 mm         Box Width       275 mm         Box Height       220 mm         Length       410 mm         Width       90 mm         Height       120 mm         Keight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)       0.0138 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0162 kg         Tare total       0.03 kg         Gross Weight       0.56 kg         Cubic metre       0.004428 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max usage temperature (food contact)       80 °C         Max usage temperature (non food contact)       00 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °C	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0162 kgTare total0.03 kgCusc mere0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ion food contact)80 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0182 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length545 mmBox Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width275 mmBox Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height220 mmLength410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length	545 mm
Length410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	275 mm
Width90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Height	220 mm
Height120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Length	410 mm
Net Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature100 °C	Width	90 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0138 kg(LDPE)0.0162 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	120 mm
(LDPE)0.0162 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Net Weight	0.53 kg
Tare total0.03 kgGross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C		0.0138 kg
Gross Weight0.56 kgCubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0162 kg
Cubic metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.56 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.004428 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	3° 08
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration   2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020317460
GTIN-14 Number (Box quantity)	15705020317467
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.