Broom, 16.1" Soft/stiff, Orange







Designed for effective cleaning of food industry floors as well as in kitchens and restaurants, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

Technical Data

Item Number	31747
Bristle stiffness	Soft/stiff
Visible bristle length	2.4 "
Connection	Threaded
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304L)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	480 Pcs.
Quantity Per Layer (Pallet)	60 Pcs.
Box Length	21.5 "
Box Width	10.8 "
Box Height	8.7 "
Length	16.1 "
Product Width	3.5 "
Product Height	4.7 "
Net Weight	1.1684 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.03 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.04 lbs
Total Tare Weight	0.07 lbs
Gross Weight	1.2346 lbs
Cubic Feet	0.1565 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020317477
GTIN-14 Number (Box quantity)	15705020317474
Customs Tariff Number	96039099
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.