## 31942 Broom, 24" Soft/stiff, Green







Designed for the effective cleaning of both wet and dry surfaces, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

## **Technical Data**

Item Number	31942
Bristle stiffness	Soft/stiff
Visible bristle length	2.4 "
Connection	Threaded
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304L)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	280 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	24 "
Box Width	11.4 "
Box Height	7.9 "
Length	24 "
Product Width	2.8 "
Product Height	4.9 "
Net Weight	1.6534 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.03 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.06 lbs
Total Tare Weight	0.09 lbs
Gross Weight	1.7416 lbs
Cubic Feet	0.1886 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020319426
GTIN-14 Number (Box quantity)	15705020319423
Customs Tariff Number	96039099
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.