Broom, 610 mm, Soft, White







This Broom is designed to effectively sweep flour, starch and other powders from dry areas. Can be used with any Vikan handle.

Technical Data

Item Number 31995 Bristle stiffness Soft Visible bristle length 56 mm Material Polypropylene Polypester Stainless Steel (AlSI Stainless Steel (AlSI Stainless Steel (AlSI Stainless Steel) (AlSI Stainless Steel (AlSI Stai		
Visible bristle length Material Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation 10 FPR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Height 200 mm Box Height 200 mm Width 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quastic ardboard (Recycling symbol "20" PAP) Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) 80 °C Max usage temperature (food contact) Min. usage temperature (non food contact)	Item Number	31995
Material Polypropylene Polyseter Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with FUA 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 240 Pcs Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Gross Weight 0.0147 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature? - 20 °C	Bristle stiffness	Soft
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Box Length Box Height Length Box Height Length Width Box Height Length Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre Max. cleaning temperature (Dishwasher) Max usage temperature (Ioshwasher) Max usage temperature (no food contact) Minusage temperature (no food contact) Minusage temperature (120 x 120	Visible bristle length	56 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Box Length 610 mm Box Width 290 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.0147 cc Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperatures (no food contact)	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight 0.77 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.04 kg	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 290 mm Box Width 290 mm Box Height 200 mm Length Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Minusage temperature (Inon food contact)		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quantity Per Loyer (Pallet) Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Minusage temperature (Not Contact) Minusage temperature	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quantity Per Layer (Pallet) Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min usage temperature (105 Mm. volume 100 cm 10	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Cuantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length Cundity Per Length Cundity Per Layer (Pallet) Box Length Cundity Per Layer (Pallet) Cundity Per Layer (Pallet (Pallet) Cundity Per Layer (Pallet) Cundity Per Layer (Pallet (Pallet) Cundity Per Layer (Pallet)	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Quantity Pe	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight 0.77 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ¹ -20 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)240 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth65 mmHeight125 mmNet Weight0.77 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.81 kgCubic metre0.004956 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Box Quantity	10 Pcs.
Box Length Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width 290 mm Box Height 200 mm Length 610 mm Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height200 mmLength610 mmWidth65 mmHeight125 mmNet Weight0.77 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.81 kgCubic metre0.004956 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length	610 mm
Length 610 mm Width 65 mm Height 125 mm Net Weight 0.77 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Box Width	290 mm
Width 65 mm Height 125 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C	Box Height	200 mm
Height125 mmNet Weight0.77 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.81 kgCubic metre0.004956 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Length	610 mm
Net Weight0.77 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.81 kgCubic metre0.004956 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Width	65 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Height	125 mm
Weight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.81 kgCubic metre0.004956 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.77 kg
Tare total 0.04 kg Gross Weight 0.81 kg Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C		0.0147 kg
Gross Weight Cubic metre 0.004956 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0253 kg
Cubic metre0.004956 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.04 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Gross Weight	0.81 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.004956 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020319952
GTIN-14 Number (Box quantity)	15705020319959
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.