XL Hand Brush, 9.1" Extra stiff, Blue







A favorite of the meat and dairy industries, our updated XL Hand Brush makes a big impact thanks to its size and stiff bristles. When you need to clean bigger surface areas with hard-to-reach corners or crevices, this large scrub brush may be the tool you need.

This sturdy brush is made of a solid block. The "butterfly" shape of the block has been designed to give users a better, more ergonomically friendly grip. The brush sits flush against most users' hands, making it comfortable and easy to hold even while dealing with cleaning chemicals and wet or greasy hands.

Like all brushes in our Hygiene range, the Vikan XL Hand Brush is designed to be used in areas where cleanliness and sanitation matter most, making it ideal for the food processing industry. The smooth surface finish, lack of sharp angles, and sloped drainable hanging hole all make it easy to clean and store.

Whether you're cleaning tanks, tables, conveyor belts, or buckets, the XL Hand Brush with Very Stiff Bristles can help you get the job done quickly and effectively.

Technical Data

Bristle stiffness Extra stiff Visible bristle length 1.5° Material polypropylene Polyvester (PBT) Stainless Steels (PBT) Stainles	Item Number	38943
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity Per Layer (Pallet) 80 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1.1" Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Width 4.3 " Product Height 0.7782 lbs Weight taardboard (Recycling symbol "4" Low Density Polyethylene (LDPE) Weight acardboard (Recycling symbol "20" PAP) 0.05 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max usage temperature (food contact) 176 "F Max usage temperature (food contact) 120 "F Max usage temperature (food contact) 120 "F Max usage temperature (non food contact) 120 "F Max usage temperature (non food contact) 120 "F Max usage temperature (non food contact) 120 "F Mexical Complex of Contact (120 "F) Complies with Later and Page 120 "PAP (120 "F) Mexical Complex of Contact (120 "F) Mexical Contact (120 "F) Mexical Complex of Contact (120 "F) Mexical Complex of Contact (120 "F) Mexical	Bristle stiffness	Extra stiff
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EU Regulation I CFR 21¹ Yes Complies with EDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Box Length Box Width 11.1 " Box Height 6.5 " Length Product Width 4.3 " Product Width 4.3 " Product Width 1.1.1" Net Weight 0.7782 lbs Weight tacrdboard (Recycling symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic Feet 0.060 lbs Gross Weight 0.0760 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 49.8 "F Max usage temperature (105 hwasher) 199.4 "F Max usage temperature (food contact) 176 "F Max usage temperature (non food contact) 121 "F	Visible bristle length	1.5 "
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 9.1 " Product Width 1.3 " Product Width 1.3 " Product Wight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Max usage temperature (non food contact) 176 °F Max usage temperature (non food contact) 121 °F	Material	(PBT) Stainless Steel
Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Width 4.3 " Product Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.05 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave)	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU O15037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Width 4.3 " Product Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.05 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature	· · · · · · · · · · · · · · · · · · ·	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Cubic Feet 0.608 fi3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (food contact) 176 "F Max usage temperature (non food contact) 212 "F	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (food contact) 190.4 "F Max usage temperature (non food contact) 212 "F	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.US D29/878021, EU 015037869-0001, GB 6293887Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length14.9 "Box Width11.1 "Box Height6.5 "Length9.1 "Product Width4.3 "Product Height2.7 "Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Meets the REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Width 4.3 " Product Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight Cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 176 "F Max usage temperature (non food contact) 212 "F	Complies with California Proposition 65	Yes
Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 176 "F Max usage temperature (non food contact) 212 "F	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 176 "F Max usage temperature (non food contact) 212 "F	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length14.9 "Box Width11.1 "Box Height6.5 "Length9.1 "Product Width4.3 "Product Height2.7 "Net Weight0.7782 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Design Registration No.	015037869-0001, GB
Quantity Per Layer (Pallet)80 Pcs.Box Length14.9 "Box Width11.1 "Box Height6.5 "Length9.1 "Product Width4.3 "Product Height2.7 "Net Weight0.7782 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.8377 lbsGubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax. cleaning temperature (Dishwasher)199.4 "FMax usage temperature (food contact)176 "FMax usage temperature (non food contact)212 "F	Box Quantity	10 Pcs.
Box Length14.9 "Box Width11.1 "Box Height6.5 "Length9.1 "Product Width4.3 "Product Height2.7 "Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.8377 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Quantity per Pallet (80 x 120 x approx.180 cm)	800 Pcs.
Box Width 11.1 " Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 6.5 " Length 9.1 " Product Width 4.3 " Product Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Box Length	14.9 "
Length 9.1 " Product Width 4.3 " Product Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.06 lbs Gross Weight 0.06 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Box Width	11.1 "
Product Width 4.3 " Product Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Total Tare Weight 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Box Height	6.5 "
Product Height2.7 "Net Weight0.7782 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Length	9.1 "
Net Weight0.7782 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Product Width	4.3 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Product Height	2.7 "
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.05 lbsTotal Tare Weight0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Net Weight	0.7782 lbs
Total Tare Weight Gross Weight Cubic Feet Cubic Feet Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 20.06 lbs 0.8377 lbs 0.0608 ft3 249.8 °F 199.4 °F 199.4 °F 176 °F		0.01 lbs
Gross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Weight cardboard (Recycling symbol "20" PAP)	0.05 lbs
Cubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Total Tare Weight	0.06 lbs
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Gross Weight	0.8377 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Cubic Feet	0.0608 ft3
Max usage temperature (food contact) Max usage temperature (non food contact) 212 °F	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact) 212 °F	Max. cleaning temperature (Dishwasher)	199.4 °F
	Max usage temperature (food contact)	176 °F
Min. usage temperature -4 °F	Max usage temperature (non food contact)	212 °F
	Min. usage temperature	-4 °F

Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022039711
GTIN-14 Number (Box quantity)	15705028039729
Customs Tariff Number	96039099
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.